

*Rock 'n' Retro*







# CONTENT



Coffee machines	10
Coffee grinder	15
Espresso machine	15
Kettle	17
Milk frother	16
Water kettle	22



Cake pop maker	32
Cotton candy maker	36
Chocolate fountain	37
Crêpe maker	31
Dog cookie maker	33
Donut maker	31
Egg boiler	37
Ice cream maker	35
Ice cream cone maker	30
Ice cube maker	36
Muffin maker	32
Multi grill	34
Pepper/salt mill	38
Popcorn maker	37
Sandwich toaster	33
Soft ice cream maker	35
Toaster	24
Waffle maker	29
Yoghurt maker	36



Automatic juicer	56
Bag sealer	59
Bar mixer / milk frother	55
Can opener	59
Citrus fruit squeezer	55
Deep fat fryers	60
Electric knife	39
Fondue deep fat pan	59
Food dryer	58
Food processor	51
Food slicer	38

Hand blender	39
Hand blender set	40
Hand mixer	43
Hand mixer set	44
Kitchen scales	57
Kneading machines	45
Mincer	52
Multi express	41
Multi chopper	42
Smoothie maker	54
Spiral cutter	41
Universal mixer	52




Bread maker	64
Barbecue standing grill	75
Barbecue table grill	74
Built-in microwaves with grill	85
Contact grill	66
Convection oven	77
Doner vertikal multigrill	78
Electric grill lighter	74
Fondue set	70
Gas grill	76
Hot dog maker	65
Hotplates	87
Induction hot plates	89
Microwaves	81
Mini kitchen	80
Mini oven	79
Multi oven	80
Multi pizza oven	79
Teppanyaki grill	67
Party pans	67
Pizza oven	71
Pizza maker	77
Raclette grills	72
Rice cooker	63
Preserving boiler	87
Steam cooker	65



Steam irons	91
Fabric steamer	96
Steam ironing units	94
Travelling steam iron / steam brush	90



Battery vaccum cleaner	100
Floor vacuum cleaner	101
Hand vacuum cleaner	101
Shampoo cleaner	110
Steam cleaner	97
Steam mop	99
Textile cleaner	111
Wet and dry cleaner	109



Alcohol tester	112
Baby food warmer	114
Bathroom scales	113
Digital thermometer	114
Facial cleaner and massager	117
Facial sauna	116
Foot massager	115
Hair and beard trimmer	118
Hair crimper / Hot air styler	120
Hair dryer	122
Hair straightener	119
Hot air curling brush	121
Lady shaver	117
Luggage scale	112
Massage equipment	115
Men's shaver	119
Multicurler	120
Nail care system	116
Nose and ear hair remover	118
Sterilizer	114



Accessories	134
Air conditioning units	127
Convactor heaters	129
Cool boxes	130
Fan heater	131
Insect killer	133
Standing fan	126
Table fans	125
Tower fan	126

# Rock 'n' Retro











### Coffee machine KA 3689

- For 15 cups of coffee (approx. 1.7 litre)
- Stainless steel insert
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Water level indicator
- Heating plate with automatic switch-off
- 220–240 V, 50/60 Hz, 1000 W



### Toaster TA 3690

- 2-slice toaster
- Stainless steel insert
- Cool touch housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable thermostat
- 3 indicator lights (white illuminated)
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 220–240 V, 50 Hz, 850 W max.

### Kettle WK 3691

- Max. capacity 1.7 litre
- Stainless steel insert
- Simple handling due to cable-free technology – easy to pour in and out
- Safety hinged lid with one-handed operation
- Lime filter (removable)
- On/off switch (illuminated)
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Base station with cord storage
- Evaporation/overheating protection
- 220–240 V, 50/60 Hz, 1850–2200 W



### **Coffee machine** KA 3689

- For 15 cups of coffee (approx. 1.7 litre)
- Stainless steel insert
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Water level indicator
- Heating plate with automatic switch-off
- 220–240 V, 50/60 Hz, 1000 W

### **Toaster** TA 3690

- 2-slice toaster
- Stainless steel insert
- Cool touch housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable thermostat
- 3 indicator lights (white illuminated)
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 220–240 V, 50 Hz, 850 W max.

### **Kettle** WK 3691

- Max. capacity 1.7 litre
- Stainless steel insert
- Simple handling due to cable-free technology – easy to pour in and out
- Safety hinged lid with one-handed operation
- Lime filter (removable)
- On/off switch (illuminated)
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Base station with cord storage
- Evaporation/overheating protection
- 220–240 V, 50/60 Hz, 1850–2200 W



# Colour up your life



MZ 3579



SM 3577

HM 3014



KW 3626

SM 3593

WK 3445



MZ 3579



SM 3577

HM 3014



KW 3626

SM 3593

WK 3445







KA 3473



TA 3554

SM 3577



HM 3014



SM 3593



MZ 3579

KW 3626



WK 3445



KA 3473



TA 3554

SM 3577



HM 3014



SM 3593



MZ 3579

KW 3626



WK 3445



PREIS-/LEISTUNGSSIEGER	
IM TESTMAGAZIN • URTEIL	
Clatronic KA 3450 1-Tassen Kaffeeautomat	
<b>GUT</b>	<b>81,3 %</b>
Im Test: 6 Coffee to go-Maschinen Testurteile: 2x sehr gut, 4x gut	
Heft 05/2015	



10

### 1 cup coffee machine KA 3356

- 1 cup coffee machine for filter coffee
- Space-saving design (ideal when out and about)
- Includes one ceramic cup
- Permanent nylon filter (removable)
- On/off switch with indicator light
- Automatic power off
- Nonslip tray (removable)
- 220–240 V, 50 Hz, 270–330 W
- W x H x D approx. 130 x 175 x 155 mm

### 1-cup coffee machine KA 3450

- „Coffee to go“ – simple, quick, and fresh, with the familiar taste of an aromatic filter coffee
- Ideal for camping, in the office, at home or on the way
- Incl. thermo stainless steel cup with drink opening and heat insulated aroma seal lid
- 300 ml capacity
- Permanent nylon filter (removable)
- Cup fits virtually all standard cup holders
- Rubberized „Soft Touch“ handle
- On/off switch
- Automatic power off
- Indicator light
- 220–240 V, 50 Hz, 420 W
- W x H x D approx. 155 x 235 x 150 mm

### Coffee machine KA 3555

- For 8–10 cups of coffee (approx. 1,25 litre)
- Anti-drip protection
- Swivel filter
- On/off switch with indicator light (blue illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- 220–240 V, 50/60 Hz, 730–870 W
- W x H x D approx. 165 x 300 x 250 mm



Can also be combined as a suitable breakfast set

● Art. no. 263 155  
EAN 4 006 160 631 555 PU 6



● Art. no. 263 215  
EAN 4 006 160 632 156 PU 6



● Art. no. 263 640  
EAN 4 006 160 636 406 PU 6  
● Art. no. 263 636  
EAN 4 006 160 636 369 PU 6





## Coffee machine KA 3552

- For 8–10 cups of coffee (approx. 1.25 litre)
- Anti-drip protection
- Swivel filter
- On/off switch with indicator light
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 870 W max.
- W x H x D approx. 165 x 300 x 250 mm

## Coffee machine KA 3473

- For 12–14 cups of coffee (approx. 1.5 litre)
- Anti-drip protection
- Filter holder (removable)
- On/off switch (illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- Cord storage
- 230 V, 50 Hz, 900 W
- W x H x D approx. 190 x 330 x 205 mm

## NEW! Coffee machine KA 3473

- For 12–14 cups of coffee (approx. 1.5 litre)
- Anti-drip protection
- Filter holder (removable)
- On/off switch (illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- Cord storage
- 230 V, 50 Hz, 900 W
- W x H x D approx. 190 x 330 x 205 mm

11



Can also be combined as a suitable breakfast set



Can also be combined as a suitable kitchen set

Art. no. 263 632  
EAN 4 006 160 636 314 PU 6



Art. no. 263 589  
EAN 4 006 160 635 898 PU 6  
Art. no. 263 590  
EAN 4 006 160 635 904 PU 6  
Art. no. 263 591  
EAN 4 006 160 635 911 PU 6



Art. no. 263 824  
EAN 4 006 160 638 240 PU 6  
Art. no. 263 825  
EAN 4 006 160 638 257 PU 6





# Rock 'n' Retro



12

NEW!

## Coffee machine KA 3689

- For 15 cups of coffee (approx. 1.7 litre)
- Stainless steel insert
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Water level indicator
- Heating plate with automatic switch-off
- 220–240 V, 50/60 Hz, 1000 W
- W x H x D approx. 220 x 340 x 260 mm

NEW!

## Coffee machine KA 3689

- For 15 cups of coffee (approx. 1.7 litre)
- Stainless steel insert
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Water level indicator
- Heating plate with automatic switch-off
- 220–240 V, 50/60 Hz, 1000 W
- W x H x D approx. 220 x 340 x 260 mm

## Coffee machine KA 3575

- For 8–10 cups of coffee (approx. 1.25 litre)
- Stainless steel insert
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light (blue illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- 220–240 V, 50/60 Hz, 1000 W
- W x H x D approx. 185 x 310 x 260 mm



Can also be combined as a suitable breakfast set



Can also be combined as a suitable breakfast set



Can also be combined as a suitable breakfast set

- Art. no. 263 836  
EAN 4 006 160 638 363 PU 4
- Art. no. 263 837  
EAN 4 006 160 638 370 PU 4
- Art. no. 263 838  
EAN 4 006 160 638 387 PU 4



- Art. no. 263 834  
EAN 4 006 160 638 349 PU 4
- Art. no. 263 835  
EAN 4 006 160 638 356 PU 4



- Art. no. 263 653  
EAN 4 006 160 636 536 PU 6







### Coffee machine KA 3562

- For 12–14 cups of coffee (approx. 1.5 litre)
- High-quality stainless steel application
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light (blue illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- 220–240 V, 50/60 Hz, 900 W
- W x H x D approx. 180 x 325 x 260 mm

### Coffee machine KA 3558

- For 8–10 cups of coffee (approx. 1.2 litre)
- Stainless steel insert and lid
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Water level indicator
- Heating plate with automatic switch-off
- 220–240 V, 50 Hz, 900 W
- W x H x D approx. 195 x 335 x 220 mm

### Coffee machine KA 3642

- For 12–14 cups of coffee (approx. 1.5 litre)
- Stainless steel front
- Programmable 24-hour LCD digital timer
- Anti-drip protection
- Filter holder (removable)
- 4 control buttons
- Heating plate with automatic switch-off
- Water level indicator
- 2 indicator lights
- 220–240 V, 50/60 Hz, 900 W max.
- W x H x D approx. 180 x 310 x 220 mm



Can also be combined as a suitable kitchen set



Programmable 24-hour  
LCD digital timer

Art. no. 263 649  
EAN 4 006 160 636 499 PU 4



Art. no. 263 644  
EAN 4 006 160 636 444 PU 4  
Art. no. 263 647  
EAN 4 006 160 636 475 PU 4



Art. no. 263 337  
EAN 4 006 160 633 375 PU 4





14

### Coffee machine KA 3327


- For 8–10 cups of coffee (approx. 1 litre)
- Thermo jug (double-walled)
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Automatic power off
- Water level indicator
- 220–240 V, 50/60 Hz, 870 W max.
- W x H x D approx. 185 x 340 x 210 mm

### Coffee machine with jugs KA 3328

- 2 jugs for 8–10 cups of coffee each (2 x 1 litre) – double-walled
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Automatic power off
- Water level indicator
- 220–240 V, 50/60 Hz, 870 W max.
- W x H x D approx. 185 x 340 x 210 mm

### Thermo coffee machine KA 3563

- For 8–10 cups of coffee (approx. 1.2 litre)
- Stainless steel thermo jug (double-walled) with aroma seal – drinks remain hot for longer
- High-quality stainless steel application
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light (blue illuminated)
- Automatic power off
- Water level indicator
- 220–240 V, 50 Hz, 800 W
- W x H x D approx. 180 x 325 x 260 cm



Double-walled thermo jug with aroma seal – drinks remain hot for longer

Art. no. 263 127  
EAN 4 006 160 631 272

PU 6



Art. no. 263 126  
EAN 4 006 160 631 265

PU 4



Art. no. 263 650  
EAN 4 006 160 636 505

PU 4





Stainless steel housing

### Espresso machine ES 3643

- Espresso and cappuccino pump machine
- Stainless steel front
- Swiveling stainless steel steam nozzle with foaming and hot water function
- Steam volume steplessly adjustable
- Steam nozzle tip removable for easy cleaning
- Cup warming function with stainless steel insert
- Constant pump pressure of 15 bar
- 1.6 litre transparent water tank (removable)
- External water level indicator
- Collection cup with stainless steel drip grid (removable)
- 2 indicator lights
- Automatic shut-off
- Operational readiness indication
- Accessories: 2 filter holders (1 and 2 cups), coffee scoop, tamper
- 220–240 V, 50 Hz, 850 W
- W x H x D approx. 250 x 295 x 280 mm



Cup warming function



Swiveling stainless steel steam nozzle with foaming and hot water function

### Coffee grinder KSW 3306

- Electric coffee mill with beater
- Stainless steel beater blade
- Stainless steel bean container, hygienic and with aroma protection
- Transparent lid
- Capacity 40 g – for 20 cups of coffee
- With 120 watt motor
- Safety circuit – operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cord storage
- 220–240 V, 50 Hz, 120 W
- W x H x D approx. 100 x 200 x 100 mm

### Coffee grinder KSW 3307

- Electric coffee mill with beater
- Stainless steel beater blade
- Stainless steel bean container, hygienic and with aroma protection
- Transparent lid
- Capacity 40 g – for 20 cups of coffee
- With 120 watt motor
- Safety circuit – operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cord storage
- 220–240 V, 50 Hz, 120 W
- W x H x D approx. 100 x 200 x 100 mm



Cold and warm  
foaming function

**NEW!** Milk frother  
MS 3693

- Integrated heating function
- Creates foamy milk in seconds
- Also suitable for hot and cold chocolate
- Container with non-stick coating (approx. 550 ml)
- Foamed milk volume: approx. 300 ml
- Multi function switch (illuminated)
  - Froth the milk warm
  - Froth the milk cold – ideal for iced coffee
  - Heat the milk
- Built-in heating element
- Automatic switch-off function
- Incl. lid with splash guard function
- Additional stirrer for hot drinks without frothing (e.g. cocoa)
- Lid removable for easy cleaning
- 220–240 V, 50/60 Hz, 500 W
- WxHxD approx. 160 x 175 x 113 mm



Cold and warm  
foaming function

Milk frother  
MS 3654

- Integrated heating function
- Creates foamy milk in seconds
- Also suitable for hot and cold chocolate
- Stainless steel container (700 ml)
- Insulated soft-touch coating
- Foamed milk volume: approx. 500 ml
- Electronic – 2 function switches (illuminated)
  - Froth the milk warm
  - Froth the milk cold – ideal for iced coffee
  - Heat the milk
- Built-in heating element
- Automatic switch-off function
- Incl. lid with splash guard function
- Additional stirrer for hot drinks without frothing (e.g. cocoa)
- Mixing bowl and lid removable for easy cleaning
- 220–240 V, 50 Hz, 550–650 W
- WxHxD approx. 105 x 240 x 105 mm



Cold and warm  
foaming function

Milk frother  
MS 3326

- No preheating of the milk thanks to the integrated heating function
- Creates foamy milk in seconds
- Also suitable for hot and cold chocolate
- Mixing container (750 ml)
- Non-stick coated (inside/outside)
- Amount of milk foam: approx. 500 ml
- Electronic – 3 function switches
  - Froth the milk warm
  - Froth the milk cold – ideal for iced coffee
  - Heat the milk
- Built-in heating element
- Automatic switch-off function
- Incl. lid with splash guard function
- Mixing bowl and lid removable for easy cleaning
- 230–240 V, 50 Hz, 600–650 W
- WxHxD approx. 180 x 125 x 175 mm



Art. no. 263 832  
EAN 4 006 160 638 325

PU 4



Art. no. 263 786  
EAN 4 006 160 637 861  
Art.-Nr. 263 787  
EAN 4 006 160 637 878

PU 4



Art. no. 263 125  
EAN 4 006 160 631 258

PU 4







### Milk frother MS 3089

- Creates foamy milk in seconds
- Soft touch housing
- Stainless steel whisk
- Easy to clean
- Battery operation: 2 x 1,5 V AA/UM 3 (batteries not included)
- WxHxD approx. 47 x 225 x 32 mm

### Travel kettle WKR 3624

- Ideal when traveling and on the move
- Max. capacity 0.5 litre
- Stainless steel housing
- Incl. 2 cups à 170 ml, transport / travel bag and coffee spoon
- Concealed stainless steel heating element
- Indicator light
- Automatic switch-off
- Evaporation/overheating protection
- 120/230 V, 50/60 Hz, 1000 W
- WxHxD approx. 160 x 170 x 105 mm

### Kettle WK 3462

- Max. capacity 1.0 litre
- Simple handling due to cable-free technology – easy to pour in and out
- Safety hinged lid with one-handed operation
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Rubber profile on the handle
- Incl. base station
- Evaporation/overheating protection
- 220–240 V, 50 Hz, 750–900 W
- WxHxD approx. 185 x 220 x 115 mm

17



Incl. transport / travel bag



Incl. 2 cups à 170 ml + coffee spoon

●	Art. no. 262 161	
	EAN 4 006 160 621 617	PU 20
●	Art. no. 263 230	
	EAN 4 006 160 632 309	PU 20
●	Art. no. 263 232	
	EAN 4 006 160 632 323	PU 20
●	Art. no. 263 231	
	EAN 4 006 160 632 316	PU 20
●	Art. no. 263 233	
	EAN 4 006 160 632 330	PU 20

●	Art. no. 263 729	
	EAN 4 006 160 637 298	PU 6

●	Art. no. 263 229	
	EAN 4 006 160 632 767	PU 6
●	Art. no. 263 342	
	EAN 4 006 160 633 429	PU 6







18

### Kettle WK 3445

- Max. capacity 1.7 litre
  - Simple handling due to cable-free technology – easy to pour in and out
  - Safety hinged lid with one-handed operation
  - Lime filter (removable)
  - On/off switch (illuminated)
  - Stainless steel heating element
  - Automatic/manual switch-off
  - 2 external water level indicators
  - Rubber profile on the handle
  - Base station with cord storage
  - Evaporation/overheating protection
- 220–240 V, 50 Hz, 1850–2200 W  
■ W x H x D approx. 220 x 255 x 140 mm

### Kettle WK 3445

- Max. capacity 1.7 litre
  - Simple handling due to cable-free technology – easy to pour in and out
  - Safety hinged lid with one-handed operation
  - Lime filter (removable)
  - On/off switch (illuminated)
  - Stainless steel heating element
  - Automatic/manual switch-off
  - 2 external water level indicators
  - Rubber profile on the handle
  - Base station with cord storage
  - Evaporation/overheating protection
- 220–240 V, 50 Hz, 1850–2200 W  
■ W x H x D approx. 220 x 255 x 140 mm



Can also be combined as a suitable kitchen set

●	Art. no. 263 210	
	EAN 4 006 160 632 101	PU 6
●	Art. no. 263 211	
	EAN 4 006 160 632 118	PU 6
●	Art. no. 263 212	
	EAN 4 006 160 632 125	PU 6



●	Art. no. 263 672	
	EAN 4 006 160 636 727	PU 6
●	Art. no. 263 673	
	EAN 4 006 160 636 734	PU 6
●	Art. no. 263 721	
	EAN 4 006 160 637 212	PU 6
●	Art. no. 263 674	
	EAN 4 006 160 636 741	PU 6



## Rock 'n' Retro



### Kettle WK 3553

- Max. capacity 1.7 litre
  - Simple handling due to cable-free technology – easy to pour in and out
  - Safety hinged lid
  - Lime filter (removable)
  - On/off switch (illuminated)
  - Stainless steel heating element
  - Automatic/manual switch-off
  - External water level indicator
  - Base station with cord storage
  - Evaporation/overheating protection
- 220–240 V, 50/60 Hz, 1850–2200 W  
■ W x H x D approx. 220 x 235 x 125 mm

### NEW! Kettle WK 3691

- Max. capacity 1.7 litre
  - Stainless steel insert
  - Simple handling due to cable-free technology – easy to pour in and out
  - Safety hinged lid with one-handed operation
  - Lime filter (removable)
  - On/off switch (illuminated)
  - Concealed stainless steel heating element
  - Automatic/manual switch-off
  - 2 external water level indicators
  - Base station with cord storage
  - Evaporation/overheating protection
- 220–240 V, 50/60 Hz, 1850–2200 W  
■ W x H x D approx. 220 x 250 x 155 mm

### NEW! Kettle WK 3691

- Max. capacity 1.7 litre
  - Stainless steel insert
  - Simple handling due to cable-free technology – easy to pour in and out
  - Safety hinged lid with one-handed operation
  - Lime filter (removable)
  - On/off switch (illuminated)
  - Concealed stainless steel heating element
  - Automatic/manual switch-off
  - 2 external water level indicators
  - Base station with cord storage
  - Evaporation/overheating protection
- 220–240 V, 50/60 Hz, 1850–2200 W  
■ W x H x D approx. 220 x 250 x 155 mm

19



Can also be combined as a suitable breakfast set



Can also be combined as a suitable breakfast set



Can also be combined as a suitable breakfast set

Art. no. 263 633  
EAN 4 006 160 636 338 PU 6



Art. no. 263 839  
EAN 4 006 160 638 394 PU 4  
Art. no. 263 840  
EAN 4 006 160 638 400 PU 4



Art. no. 263 841  
EAN 4 006 160 638 417 PU 4  
Art. no. 263 842  
EAN 4 006 160 638 424 PU 4  
Art. no. 263 842  
EAN 4 006 160 638 431 PU 4





20

### Kettle WK 3452

- Max. capacity 1.8 litre
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Lockable safety hinged lid with one-handed operation
- Lime filter (removable)
- On/off switch (illuminated)
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Base station with cord storage
- Overheating protection
- 220–240 V, 50 Hz, 1850–2200 W
- W x H x D approx. 225 x 255 x 150 mm

### Kettle WKS 3576

- Max. capacity 1.5 litre
- Stainless steel insert
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Lockable safety hinged lid with one-handed operation
- Lime filter (removable)
- On/off switch (illuminated)
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Base station with cord storage
- Evaporation/overheating protection
- 220–240 V, 50/60 Hz, 1850–2200 W
- W x H x D approx. 155 x 245 x 215 mm

### Kettle WK 3559

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Safety hinged lid with stainless steel insert and one-handed operation
- Lime filter (removable)
- On/off switch
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators (illuminated)
- Base station with cord storage
- Overheating protection
- 220–240 V, 50 Hz, 1850–2200 W
- W x H x D approx. 220 x 235 x 160 mm



Can also be combined as a suitable breakfast set



Can also be combined as a suitable kitchen set

● Art. no. 263 217  
EAN 4 006 160 632 170 PU 6  
● Art. no. 263 227  
EAN 4 006 160 632 279 PU 6



● Art. no. 263 654  
EAN 4 006 160 636 543 PU 6



● Art. no. 263 645  
EAN 4 006 160 636 451 PU 4  
● Art. no. 263 648  
EAN 4 006 160 636 482 PU 4





Stainless steel

**Kettle**  
WKS 3381

- Max. capacity 1.0 litre
- Stainless steel thermo housing
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Lime filter (removable)
- On/off switch
- Concealed stainless steel heating element
- Automatic/manual switch-off
- Water level indicator
- Base station with cord storage
- Evaporation/overheating protection
- 220–240 V, 50/60 Hz, 1850–2200 W
- W x H x D approx. 220 x 195 x 150 mm



Stainless steel

**NEW!** **Kettle**  
WKS 3692

- Max. capacity 1.5 litre
- Stainless steel housing
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Safety hinged lid with one-handed operation
- On/off switch (blue illuminated)
- Concealed stainless steel heating element
- Automatic/manual switch-off
- Base station with cord storage
- Evaporation/overheating protection
- 220–240 V, 50 Hz, 1850–2200 W
- W x H x D approx. 230 x 233 x 142 mm



Stainless steel

**Kettle**  
WKS 3437

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Lime filter (integrated)
- On/off switch (illuminated)
- Stainless steel body
- Concealed stainless steel heating element
- Automatic/manual switch-off
- External water level indicator
- Cord storage
- Evaporation/overheating protection
- 220–240 V, 50 Hz, 2000–2400 W max.
- W x H x D approx. 230 x 250 x 145 mm





Stainless steel



Stainless steel



Stainless steel

### Kettle WKS 3288

- Max. capacity 1.7 litre
  - Stainless steel thermo housing
  - Simple handling due to cable-free technology – easy to pour in and out
  - 360° connector
  - Lockable safety hinged lid
  - Lime filter (removable and washable)
  - On/off switch
  - Indicator light (blue illuminated)
  - Concealed stainless steel heating element
  - Automatic/manual switch-off
  - 2 external water level indicators
  - Base station with cord storage (stainless steel sheathed)
  - Evaporation/overheating protection
- 220–240 V, 50 Hz, 1850–2200 W  
■ W x H x D approx. 220 x 250 x 145 mm

### Water kettle WK 3564

- Max. capacity 1.8 litre
  - Simple handling due to cable-free technology – easy to pour in and out
  - 360° connector
  - Lime filter (removable, washable)
  - On/off switch
  - Concealed stainless steel heating element
  - Stainless steel water jug
  - Automatic/manual switch-off
  - External water level indicator
  - Base station with cord storage
  - Evaporation/overheating protection
- 220–240 V, 50 Hz, 1800 W  
■ W x H x D approx. 200 x 285 x 230 mm

### Water kettle WKS 3625

- Max. capacity 1.8 litre
  - Simple handling due to cable-free technology – easy to pour in and out
  - 360° connector
  - Lime filter (removable, washable)
  - On/off switch (illuminated)
  - Concealed stainless steel heating element
  - Stainless steel water jug
  - Automatic/manual switch-off
  - External water level indicator
  - Base station with cord storage
  - Evaporation/overheating protection
- 220–240 V, 50 Hz, 1850–2200 W  
■ W x H x D approx. 245 x 295 x 225 mm



External water level indicator



External water level indicator



Art.no. 263 090  
EAN 4 006 160 630 909

PU 6



Art.no. 263 651  
EAN 4 006 160 632 774

PU 4



Art.no. 263 727  
EAN 4 006 160 637 274  
Art.no. 263 728  
EAN 4 006 160 637 281

PU 4

PU 4







**NEW!** Electric glass kettle  
WKS 3680 G

Electric glass kettle  
WKS 3641 G

Electric glass kettle  
WK 3501 G

23

- Max. capacity 1.7 litre
- Glass/stainless steel housing
- Lockable stainless steel lid with single-handed operation
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- On/off switch (blue illuminated)
- Concealed stainless steel heating element
- Automatic/manual switch-off
- Water level indicator
- Base station with cord storage
- Evaporation/overheating protection
- 220–240 V, 50 Hz, 1850–2200 W
- W x H x D approx. 215 x 240 x 160 mm

- Max. capacity 1.5 litre
- Glass/stainless steel housing
- Lockable stainless steel lid with single-handed operation
- Water container made of heat-resistant safety glass (blue illuminated)
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- On/off switch
- Concealed stainless steel heating element
- Automatic/manual switch-off
- Water level indicator
- Base station with cord storage (stainless steel sheathed)
- Evaporation/overheating protection
- 220–240 V, 50/60 Hz, 1850–2200 W
- W x H x D approx. 220 x 240 x 130 mm

- Max. capacity 1.7 litre
- Glass/stainless steel housing
- Water container made of heat resistant safety glass
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- On/off switch
- Concealed stainless steel heating element
- Automatic/manual switch-off
- Water level indicator
- Base station with cord storage (stainless steel sheathed)
- Evaporation/overheating protection
- 220–240 V, 50 Hz, 1850–2200 W
- W x H x D approx. 220 x 240 x 150 mm



Wasser container made of heat-resistant safety glass (blue illuminated)



Wasser container made of heat-resistant safety glass (blue illuminated)

Art. no. 263 816  
EAN 4 006 160 638 165

PU 4



Art. no. 263 336  
EAN 4 006 160 633 368

PU 4



Art. no. 261 675  
EAN 4 006 160 616 750

PU 4





**Toaster**  
TA 3565

- Compact 2-slice toaster
  - Cool touch housing
  - Bun warmer (integrated)
  - Defrost/reheat/quick-stop function
  - Continuously adjustable thermostat
  - 2 indicator lights
  - Automatic/manual switch-off
  - Crumb drawer
  - Base station with cord storage
- 220–240 V, 50/60 Hz, 600–700 W
  - W x H x D approx. 285 x 240 x 165 mm



**Toaster**  
TA 3554

- Compact 2-slice toaster
  - Cool touch housing
  - Bun warmer (removable)
  - Defrost/reheat/quick-stop function
  - Continuously adjustable thermostat
  - 3 indicator lights (blue illuminated)
  - Automatic/manual switch-off
  - Crumb drawer
  - Cord storage
- 220–240 V, 50/60 Hz, 870 W max.
  - W x H x D approx. 260 x 170 x 145 mm



Can also be combined as a suitable breakfast set

- Art. no. 263 628  
EAN 4 006 160 636 284 PU 6
- Art. no. 263 629  
EAN 4 006 160 636 291 PU 6
- Art. no. 263 630  
EAN 4 006 160 636 307 PU 6



- Art. no. 263 639  
EAN 4 006 160 636 390 PU 6
- Art. no. 263 634  
EAN 4 006 160 636 345 PU 6





**NEW!** Toaster  
TA 3554

- Compact 2-slice toaster
  - Cool touch housing
  - Bun warmer (removable)
  - Defrost/reheat/quick-stop function
  - Continuously adjustable thermostat
  - 3 indicator lights (blue illuminated)
  - Automatic/manual switch-off
  - Crumb drawer
  - Cord storage
- 220–240 V, 50/60 Hz, 870 W max.  
■ WxHxD approx. 260 x 170 x 145 mm

Toaster  
TA 3551

- Compact 2-slice toaster
  - Cool touch housing
  - Bun warmer (removable)
  - Defrost/reheat/quick-stop function
  - Continuously adjustable thermostat
  - 3 indicator lights
  - Automatic/manual switch-off
  - Crumb drawer
  - Cord storage
- 230 V, 50 Hz, 870 W max.  
■ WxHxD approx. 260 x 170 x 145 mm

25



Can also be combined as a suitable kitchen set



Can also be combined as a suitable breakfast set

● Art. no. 263 826  
EAN 4 006 160 638 264 PU 6  
● Art. no. 263 827  
EAN 4 006 160 638 271 PU 6



● Art. no. 263 631  
EAN 4 006 160 636 321 PU 6



## Rock 'n' Retro



26

### NEW! Toaster TA 3690

- 2-slice toaster
  - Stainless steel insert
  - Cool touch housing
  - Bun warmer (removable)
  - Defrost/reheat/quick-stop function
  - Continuously adjustable thermostat
  - 3 indicator lights (white illuminated)
  - Automatic/manual switch-off
  - Crumb drawer
  - Cord storage
- 220–240 V, 50/60 Hz, 850 W max.  
■ W x H x D approx. 295 x 185 x 185 mm

### NEW! Toaster TA 3690

- 2-slice toaster
  - Stainless steel insert
  - Cool touch housing
  - Bun warmer (removable)
  - Defrost/reheat/quick-stop function
  - Continuously adjustable thermostat
  - 3 indicator lights (white illuminated)
  - Automatic/manual switch-off
  - Crumb drawer
  - Cord storage
- 220–240 V, 50/60 Hz, 850 W max.  
■ W x H x D approx. 295 x 185 x 185 mm

### Toaster TA 3574

- 2-slice toaster
  - Stainless steel insert
  - Cool touch housing
  - Bun warmer (integrated)
  - Defrost/reheat/quick-stop function
  - Continuously adjustable thermostat
  - 3 indicator lights (blue illuminated)
  - Centring function
  - Automatic/manual switch-off
  - Crumb drawer
  - Cord storage
- 220–240 V, 50/60 Hz, 720–850 W  
■ W x H x D approx. 300 x 175 x 170 mm



Can also be combined as a suitable breakfast set



Can also be combined as a suitable breakfast set



Can also be combined as a suitable breakfast set

- Art. no. 263 846  
EAN 4 006 160 638 462 PU 4  
● Art. no. 263 847  
EAN 4 006 160 638 479 PU 4  
● Art. no. 263 848  
EAN 4 006 160 638 486 PU 4



- Art. no. 263 844  
EAN 4 006 160 638 448 PU 4  
● Art. no. 263 845  
EAN 4 006 160 638 455 PU 4




- Art. no. 263 652  
EAN 4 006 160 636 529 PU 6







 **Stainless steel housing**

### Toaster TA 3557

- 2-slice toaster
  - Stainless steel insert
  - Cool touch housing
  - Bun warmer (removable)
  - Defrost/reheat/quick-stop function
  - Continuously adjustable thermostat
  - 3 indicator lights
  - Centring function
  - Automatic/manual switch-off
  - Crumb drawer
  - Cord storage
- 220–240 V, 50 Hz, 680–800 W  
■ W x H x D approx. 285 x 185 x 170 mm

### Toaster TA 3620

- 2-slice toaster
  - Stainless steel housing
  - Bun warmer (removable)
  - Defrost/reheat/quick-stop function (blue illuminated)
  - Continuously adjustable thermostat
  - Centring function
  - Automatic/manual switch-off
  - Crumb drawer
  - Cord storage
- 220–240 V, 50/60 Hz, 750–850 W  
■ W x H x D approx. 270 x 180 x 150 mm

### Toaster TA 3534

- 4-slice long-slot toaster
  - Heat-insulated cool touch housing
  - Bun warmer (removable)
  - Defrost/reheat/quick-stop function
  - Continuously adjustable thermostat
  - 3 LED indicator lights
  - Automatic switch-off
  - Crumb drawer
  - Cord storage
- 220–240 V, 50/60 Hz, 1200–1400 W  
■ W x H x D approx. 375 x 175 x 165 mm

27



Can also be combined as a suitable kitchen set



Defrost/reheat/  
quick-stop function  
(blue illuminated)

 **Art. no. 263 643**  
EAN 4 006 160 636 437 PU 4  
 **Art. no. 263 646**  
EAN 4 006 160 636 468 PU 4



 **Art. no. 263 718**  
EAN 4 006 160 637 182 PU 4



 **Art. no. 263 614**  
EAN 4 006 160 636 147 PU 6





28

### NEW! Toaster TA 3687

- 4-slice long-slot toaster
- Stainless steel housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function (blue illuminated)
- Continuously adjustable thermostat
- Centring function
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 220–240 V, 50/60 Hz, 1200 W
- W x H x D approx. 360 x 180 x 160 mm

### NEW! Multi function toaster TAM 3688

#### General Information

- 5 in 1 – Toasting, boiling eggs, omelette, fried eggs, scrambled eggs, poaching, and steam cooking in one
- Stainless steel housing
- On/off switch (2 indicator lights)
- Cord storage
- Overheating protection
- High stability due to rubberized feet
- Accessories: Spatula
- 220–240V, 50/60Hz, 1050–1250W

#### Toaster

- 2-slice toaster
- Defrost/reheat/quick-stop function (blue illuminated)
- Continuously adjustable thermostat
- Bun warmer (removable)
- Centering function
- Automatic/manual switch-off
- Crumb drawer

#### Multifunction

- Preparation of up to 5 eggs
- Omelette, fried eggs, and scrambled eggs
- Poaching
- Steam cooker for healthy cooking of food without burning vitamins
- Egg holder (removable)
- Anti-stick coated heating plate (removable for easy cleaning)
- Measuring cup with egg pricker



Art. no. 263 829  
EAN 4 006 160 638 295

PU 4



Art. no. 263 830  
EAN 4 006 160 638 301

PU 2



ETM TESTMAGAZIN • URTEIL	
Clatronic WA 3491	
<b>GUT</b>	82,0 %
Im Test: 11 Herz-Waffeleisen Testurteile: 4x sehr gut, 6x gut, 1x befriedigend www.etm-testmagazin.de	
Heft 05/2017	

PREIS-/LEISTUNGSSIEGER	
ETM TESTMAGAZIN • URTEIL	
Clatronic WA 3606	
<b>GUT</b>	84,8 %
Im Test: 6 belgische Waffeleisen Testurteile: 2x sehr gut, 3x gut, 1x befriedigend www.etm-testmagazin.de	
Heft 05/2017	



## Waffle maker WA 3491

## Waffle maker WA 3492

## Waffle maker WA 3606

29

- Large baking plates: approx. Ø 18 cm (non-stick coated)
- Heat insulated handle
- Continuously adjustable thermostat
- 2 indicator lights for power and heating (baking lights)
- High stability due to rubberized feet
- Overheating protection
- 220–240 V, 50 Hz, 1200 W
- W x H x D approx. 205 x 115 x 250 mm

- Stainless steel insert
- Large baking plates: approx. Ø 18 cm (non-stick coated)
- Heat insulated handle
- Continuously adjustable thermostat
- 2 indicator lights for power and heating (baking lights)
- Overheating protection
- 220–240 V, 50/60 Hz, 1000 W
- W x H x D approx. 200 x 100 x 260 mm

- Waffle maker for Belgian waffles
- Stainless steel insert
- 2 large baking plates, approx. 21.5 x 13.5 cm each (non-stick coated)
- 2 waffles for each baking procedure
- Heat insulated handles
- Continuously adjustable thermostat
- 2 indicator lights for power and heating (baking lights)
- High stability due to rubberized feet
- Overheating protection
- Safety shutdown
- Cord storage
- 230 V, 50 Hz, 800 W
- W x H x D approx. 225 x 115 x 200 mm



Stainless steel insert



Stainless steel insert

● Art. no. 261 679  
EAN 4 006 160 616 798  
● Art. no. 261 680  
EAN 4 006 160 616 804

PU 6  
PU 6

● Art. no. 261 681  
EAN 4 006 160 616 811

PU 4

● Art. no. 271 705  
EAN 4 006 160 717 051

PU 4





30

### Waffle maker WA 3607

- Stainless steel insert
- 2 large baking plates (non-stick coated)
- 2 waffles for each baking procedure
- Heat insulated handle
- Continuously adjustable thermostat
- 2 indicator lights for power and heating (baking lights)
- High stability due to rubberized feet
- Overheating protection
- Cord storage
- 220–240 V, 50 Hz, 1200 W
- W x H x D approx. 350 x 105 x 230 mm

### Ice cream cone maker HA 3494

- Large baking plate: approx. Ø 18 cm (non-stick coated)
- Heat insulated handle
- Continuously adjustable thermostat
- 2 indicator lights for power and heating (baking lights)
- High stability due to rubberized feet
- Incl. squirrel cone
- Overheating protection
- 220–240 V, 50 Hz, 1200 W
- W x H x D approx. 205 x 115 x 250 mm



Stainless steel insert



Incl. squirrel cone

Art. no. 263 702  
EAN 4 006 160 637 021

PU 4



Art. no. 261 683  
EAN 4 006 160 616 835

PU 6







**Crêpe maker**  
CM 3372

- Large baking plate: approx. Ø 29 cm (non-stick coated)
- Paper-thin crêpes, quickly and easily prepared
- Heat-insulated plastic base
- Continuously adjustable thermostat
- 2 indicator lights for power and heating (baking lights)
- Base station with cord storage
- Incl. batter distributor
- 220-240 V, 50/60 Hz, 900 W
- WxHxD approx. 325 x 80 x 370 mm



**Donut maker**  
DM 3495

- For baking up to 7 bagels/donuts
- Baking surfaces non-stick coated
- Heat insulated handle
- 2 indicator lights for power and heating (baking lights)
- High stability due to rubberized feet
- Overheating protection
- 230 V, 50 Hz, 900 W
- WxHxD approx. 225 x 115 x 225 mm



Incl. batter distributor



32

### Muffin maker MM 3496

- For baking up to 7 muffins
- Muffin diameter approx. 4.5 cm
- Baking surfaces non-stick coated
- Heat insulated handle
- 2 indicator lights for power and heating (baking lights)
- High stability due to rubberized feet
- Overheating protection
- 220–240 V, 50/60 Hz, 900 W
- WxHxD approx. 225 x 115 x 225 mm

### Cake pop maker CPM 3529

- For baking up to 13 cake pops
- Baking surfaces non-stick coated
- Heat insulated handle
- 2 indicator lights for power and heating (baking lights)
- High stability due to rubberized feet
- Overheating protection
- Incl. 50 cake pop sticks
- 230 V, 50 Hz, 900 W
- WxHxD approx. 225 x 115 x 225 mm

### Donut, muffin & cake pop maker DMC 3533

- Baking up to 12 cake pops, 7 donuts or 7 muffins
- Baking surfaces non-stick coated and rechargeable
- Heat insulated handle
- 2 indicator lights for power and heating (baking lights)
- High stability due to rubberized feet
- Overheating protection
- Locking system
- Cord storage
- Incl. 50 cake pop sticks
- 230 V, 50 Hz, 700 W
- WxHxD approx. 208 x 120 x 265 mm



Incl. 50 cake pop sticks



Incl. 50 cake pop sticks



Baking up to 12 cake pops, 7 donuts or 7 muffins

Art. no. 261 685  
EAN 4 006 160 616 859

PU 6



Art. no. 263 606  
EAN 4 006 160 636 062

PU 6



Art. no. 263 613  
EAN 4 006 160 636 130

PU 4





**NEW!** Dog Cookie Maker  
DCM 3683

**Sandwich toaster**  
ST 3477

**Sandwich toaster**  
ST 3628

33

- For fresh individual ingredients; also ideal for sensitive and allergic animals
- Baking areas with several different baking patterns (non-stick coated)
- Automatic temperature controller
- Heat insulated handle
- 2 indicator lights for power and heating (baking lights)
- Locking system
- Vertical storage (space-saving)
- Incl. recipe suggestions
- High stability due to rubberized feet
- Overheating protection
- Electric lead take-up
- 
- 220–240 V, 50/60 Hz, 700 W
- W x H x D approx. 240 x 90 x 240 mm

- Triangular sandwich plates
- Non-stick coating
- Heat insulated handle
- Automatic temperature controller
- 2 indicator lights for power and heating (baking lights)
- Locking system
- Safety shutdown
- Overheating protection
- 220–240 V, 50/60 Hz, 750 W
- W x H x D approx. 230 x 80 x 230 mm

- Stainless steel insert
- Triangular sandwich plates
- Non-stick coating
- Heat insulated handle
- Automatic temperature control
- 2 indicator lights for power and heating (baking lights)
- High stability due to rubberized feet
- Locking system
- Overheating protection
- 220–240 V, 50/60 Hz, 750 W
- W x H x D approx. 235 x 95 x 235 mm



Baking areas with several different baking patterns (non-stick coated)



Stainless steel insert

Art. no. 263 823  
EAN 4 006 160 638 233 PU 6

Art. no. 261 658  
EAN 4 006 160 616 583 PU 6  
Art. no. 261 659  
EAN 4 006 160 616 590 PU 6  
Art. no. 261 660  
EAN 4 006 160 616 606 PU 6

Art. no. 263 735  
EAN 4 006 160 637 359 PU 6







3in1

Stainless steel housing

34

### Multi grill ST/WA 3670

- Sandwich toaster, waffle maker and contact grill
  - Versatile use by three different removable plates (sandwich/waffle/grill plates), e.g. for Belgian waffles and tasty sandwich variations, as well as for fast two-sided contact grilling
  - Stainless steel insert
  - Baking plates non-stick coated and changeable
  - Heat insulated handle
  - 2 indicator lights for power and heating (baking lights)
  - High stability due to rubberized feet
  - Locking system
  - Overheating protection
- 220–240 V, 50/60 Hz, 800 W  
■ W x H x D approx. 240 x 105 x 220 cm



Stainless steel insert



Grill plates



Sandwich plates



Waffle plates

### Sandwich toaster ST 3629

- 4-slice sandwich toaster
  - Stainless steel insert
  - Triangular sandwich plates
  - Non-stick coating
  - Heat insulated handle
  - Automatic temperature control
  - 2 indicator lights for power and heating (baking lights)
  - High stability due to rubberized feet
  - Locking system
  - Overheating protection and overtemperature protection
- 220–240 V, 50/60 Hz, 1200 W  
■ W x H x D approx. 270 x 105 x 325 mm



Stainless steel insert

### Multi grill MG 3519

- Multi grill for double-sided, fat-free grilling
  - 700 watts
  - Stainless steel housing
  - Short cooking times
  - Non-stick grill plates with extra deep grooves for strong grill pattern
  - Heat insulated handle
  - Indicator light
  - Grilling surfaces: 23 x 14.5 cm
  - Cord storage
  - Versatile, can be used for e.g. panini, steaks, fish or vegetables
- 220–240 V, 50/60 Hz, 700W  
■ W x H x D approx. 270 x 95 x 230 mm



Stainless steel housing

Art. no. 263 805  
EAN 4 006 160 638 059 PU 4



Art. no. 263 736  
EAN 4 006 160 637 366 PU 4



Art. no. 261 711  
EAN 4 006 160 617 115 PU 6





PREIS-/LEISTUNGSSIEGER	
ETM TESTMAGAZIN - URTEIL	
Clatronic ICM 3581	
GUT	87,9 %
Im Test: 5 Eismaschinen mit Kühlakku Testurteile: 1× sehr gut, 4× gut www.etm-testmagazin.de	
Heft 08/2017	



ETM TESTMAGAZIN - URTEIL	
Clatronic ICM 3650	
GUT	90,3 %
Im Test: 5 Eismaschinen mit Kühlakku Testurteile: 1× sehr gut, 4× gut www.etm-testmagazin.de	
Heft 08/2017	



## Soft ice cream maker ICM 3594

- Soft ice cream maker with discharge valve for preparation of soft ice cream, ice cream, frozen yogurt, and sorbet
- Transparent lid with refill opening
- With portioner – ice dispensed directly from the machine
- On/off switch
- Incl. recipe suggestions
- For up to 1000 ml ice cream
- Double-walled ice cream maker with cold storage, removable for easy cleaning (H: 14 cm; Ø 17 cm)
- Stirring element with powerful, quiet motor
- High stability due to rubberized feet
- 220-240 V, 50 Hz, 18 W
- W x H x D approx. 220 x 440 x 225 mm

## Ice cream maker ICM 3581

- Ice cream maker for preparing for sorbet, ice cream and frozen yoghurt
- Double-walled ice cream maker with cold reservoir
- Transparent lid with refill opening
- For up to 1500 ml of ice cream
- Preparation time (ice cream): 20–40 min.
- Mixer and motor housing removable for easy cleaning
- High stability due to rubberized feet
- 220–240 V, 50 Hz, 12 W
- W x H x D approx. 205 x 230 x 230 mm

## Ice cream maker ICM 3650

- Ice cream maker for preparing for sorbet, ice cream and frozen yoghurt
- 2 double-walled ice container with cold reservoir, suitable for direct ice consumption
- Transparent lid with 2 refill openings
- For up to 2x 500 ml ice cream
- Preparation time (ice cream): 15–45 min.
- Incl. timer (0–45 min.)
- Mixer and motor housing removable for easy cleaning
- Incl. recipe suggestions
- High stability due to rubberized feet
- 220–240 V, 50 Hz, 12 W
- W x H x D approx. 280 x 230 x 130 mm

35



Soft ice cream maker with discharge valve



2 double-walled ice container with cold reservoir, suitable for direct ice consumption

Art. no. 263 686  
EAN 4 006 160 636 864

PU 2

Art. no. 263 663  
EAN 4 006 160 636 635

PU 2

Art. no. 263 774  
EAN 4 006 160 637 748

PU 4





**Ice cube maker**  
EWB 3526

- Compact ice cube maker without complicated installation for producing ice cubes quickly and simply at the press of a button
- Ideal for home use, in offices, when camping or for small bars
- No water pipe required, simply fill water into the tank (2.2-l-water tank)
- Approx. 10–15 kg of ice cubes in 24 hours (approx. 90 g in 10 min – corresponding to 9 ice cubes)
- LED display and acoustic signal when the ice cube container is full or the water tank is empty
- Energy-saving mode – automatic switch-off at the end of the program
- On/off switch
- 3 indicator lights (ice full, empty water, operation)
- Visual check through viewing window in the lid
- Low-noise
- 220–240 V, 50/60 Hz, 150 W
- W x H x D approx. 245 x 330 x 370 mm



LED displays



For approx. 10–15 kg ice cubes



**Yoghurt maker**  
JM 3344

- Easy preparation of up to 1.1 litres of yoghurt
- 7 practical portion jars with screw cap (capacity: 160 ml)
- On/off switch (illuminated)
- Transparent lid
- Additional jars in a set of 6 also available as an optional EG JM 3344, Product number: 251 125
- 220–240 V, 50 Hz, 15 W
- W x H x D approx. 240 x 150 x 265 mm

**Suitable replacement jar:**  
EG JM 3344

Art. no.: 251 125  
EAN: 4 006 160 511 253



**Cotton candy maker**  
ZWM 3478

- Large cotton candy bowl: Ø approx. 27 cm
- Transparent splash guard (removable)
- Dish and splash guard dishwasher safe
- Quartz heating element
- High stability due to suction feet
- Including measuring spoon and 10 wooden sticks
- 230 V, 50 Hz, 500 W
- W x H x D approx. 275 x 235 x 275 mm



Incl. wooden sticks

Art. no. 261 712  
EAN 4 006 160 617 122

PU 1



Art. no. 251 119  
EAN 4 006 160 511 192

PU 6



Art. no. 261 661  
EAN 4 006 160 616 613

PU 4





PREIS-/LEISTUNGSSIEGER	
ETM TESTMAGAZIN • URTEIL	
Clatronic Eierkocher EK 3321	
<b>GUT</b>	86,4 %
Im Test: 4 Eierkocher mit Härtegradregulierung Testurteile: 1x sehr gut, 3x gut <a href="http://www.etm-testmagazin.de">www.etm-testmagazin.de</a>	
Heft 04/2016	



Stainless steel



Stainless steel



### Popcorn maker PM 3635

- Calorie-conscious popcorn production by hot air (without fat)
- A healthy and tasty snack for the whole family
- Quick preparation (2–3 portions in approx. 2 minutes)
- Easy handling
- Healthy preparation without oil
- Incl. portioning tray (for example for butter, corn etc.)
- Transparent lid
- On/off switch
- 220–240 V, 50/60 Hz, 1200 W
- W x H x D approx. 165 x 350 x 180 mm



Easy portioning for example butter, corn etc.

### Chocolate fountain SKB 3248

- Chocolate fountain for an exclusive buffet experience
- Stainless steel housing
- For dipping in various types of fruit/pastries
- Extra-smooth cascades for improved flow characteristics
- Deep drip collection bowl for long-lasting chocolate enjoyment
- Warm chocolate is transported by means of a worm shaft to the top of the fountain and then flows continuously down the fountain in gentle cascades
- Height-adjustable feet for a perfectly balanced flow of chocolate
- Stainless steel tower/fountain
- Stainless steel drip tray
- Motor and heating switchable separately by means of 2 switches
- High stability due to rubberized feet
- 230 V, 50 Hz, 170 W
- W x H x D approx. 215 x 395 x 215 mm



### Egg boiler EK 3321

- Preparation of up to 7 eggs
- Stainless steel housing
- Electronic hardness adjuster
- On/off switch (illuminated)
- Acoustic signal (buzzer)
- Removable egg holder
- Measuring beaker with egg pricker
- High quality steel hotplate
- 230 V, 50 Hz, 400 W
- W x H x D approx. 220 x 155 x 185 mm



Stainless steel

38

### Egg boiler EK 3497

- Preparation of up to 6 eggs
- Heating dish (non-stick coated)
- On/off switch (illuminated)
- Acoustic signal (buzzer)
- Removable egg holder
- Incl. measuring beaker with egg pricker
- 230 V, 50 Hz, 400 W
- W x H x D approx. 220 x 130 x 135 mm

### Pepper/salt mill PSM 3004 N

- High-quality precision ceramic grinder
- Stainless steel housing
- Adjustable ceramic grinder (from coarse to fine)
- Consistent grinding quality
- Simple refilling
- Single-handed operating
- Incl. light for optimum dosing of the condiment
- Battery-operated
- Battery operation:  
4x1,5 V AA/Mignon/LR/AM3  
(batteries not included)
- W x H x D approx. 45 x 220 x 45 mm

### Food slicer AS 2958

- Special stainless steel blade (rustproof)
- Powerful motor
- 3 speed level
- Safety power switch
- Infinitely adjustable cutting thickness
- Cutting thickness indication
- Food holder with finger guard
- Removable slide
- Foldable housing
- 220–240 V, 50/60 Hz, 180 W max.
- W x H x D approx. 280 x 230 x 310 mm



Art. no. 261 686  
EAN 4 006 160 616 866

PU 6



Art. no. 271 572  
EAN 4 006 160 715 729

PU 6



Art. no. 262 532  
EAN 4 006 160 625 325

PU 6





## Metal food slicer MA 3585

- Big stainless steel blade (Ø 190 mm), rustproof
- Universal serrated blade
- Motor housing: aluminium die cast
- On/off switch
- Metal guiding rail
- Metallic guiding board
- Food grip with finger protection
- Continuously adjustable cutting size (0–15 mm)
- Tilted supporting table with stainless steel insert, tiltable for easy cleaning
- High stability due to suction feet
- 220–240 V, 50/60 Hz, 150 W
- W x H x D approx. 365 x 235 x 265 mm

## Electric knife EM 3062

- Serrated stainless steel blades (rustproof, dishwasher-safe)
- Powerful 180 watt max. motor
- Low-noise and low-vibration running
- Safety switch
- Safety slide switch
- 230 V, 50 Hz, 180 W max.
- W x H x D approx. 420 x 130 x 60 mm

## Hand blender SM 3081

- Stainless steel cutting blade
- On/off switch (countersunk)
- Incl. transparent mixing vessel (500 ml)
- Hanging loop
- Wall holder plus attachment materials
- 220–240 V, 50 Hz, 180 W
- W x H x D approx. 80 x 330 x 80 mm



Incl. transparent mixing vessel (500 ml)





Incl. transparent  
mixing vessel



3in1

40

### Hand blender SM 3577

- Stainless steel cutting blade (rustproof)
- On/off switch (countersunk)
- Powerful 180 watt motor
- Incl. transparent mixing vessel (500 ml)
- Hanging loop
- 220–240 V, 50 Hz, 180 W
- W x H x D approx. 80 x 330 x 80 mm

### Hand blender SM 3638

- Soft touch housing
- Stainless steel insert
- 2-level pushbutton switch
- Powerful 600 watt motor
- Stainless steel cutting blade
- Removable stainless steel hand blender
- Ergonomically shaped handle
- Hanging loop
- 220–240 V, 50/60 Hz, 600 W
- W x H x D approx. 65 x 370 x 65 mm

### Hand blender set SMS 3190

- Hand blender set – stainless steel hand blender, multiple chopper and whisk in one
- Working container with scale (0,5 litre)
- Powerful 200 watt motor
- 2 speed level
- Removable metal whisk
- Ergonomically shaped rubberized handle for easier handling
- Holder for metal whisk and stainless steel hand blender
- Incl. mixing vessel with scale (0.7 litre)
- Hanging loop
- 220–240 V, 50/60 Hz, 200 W
- W x H x D approx. 160 x 370 x 150 mm



Can also be combined as a suitable kitchen set



- Art. no. 263 635  
EAN 4 006 160 636 352 PU 8
- Art. no. 263 638  
EAN 4 006 160 636 383 PU 8
- Art. no. 263 724  
EAN 4 006 160 637 243 PU 8
- Art. no. 263 642  
EAN 4 006 160 636 420 PU 8



- Art. no. 263 766  
EAN 4 006 160 637 663 PU 6



- Art. no. 261 803  
EAN 4 006 160 618 037 PU 6





## Spiral cutter ME 3673

- Electric spiral cutter for decorative cutting of e.g. carrots, cucumbers, zucchini
- Changeable high-quality drum attachments with stainless steel blade, for quick and easy spiral cutting
- Easy and safe handling thanks to internal cutting unit
- 3 functions
  - fine: 5 mm
  - medium: 10 mm
  - big: 55 mm
- Powerful 80 watt motor
- Large refill opening (ca. Ø 60 mm)
- On/off switch
- Storage for accessories
- Transparent collecting container (dishwasher safe)
- Base station with cord storage
- High stability due to rubberized feet
- Accessories: 3 drum attachments (fine/medium/big), collecting container
- 220–240 V, 50/60 Hz, 80 W
- W x H x D approx. 238 x 380 x 138 mm



3x drum attachments with stainless steel blade (5/10/55 mm)

Storage for accessories

## Multi express ME 3604

- Electrical shredding unit “Multi Express”
- Large and changeable high-quality drum attachments made of stainless steel, for quick and easy cutting or grating
- Easy handling
- 5 functions:
  - cutting (fine/coarse) of, for example, onions, cucumbers
  - grating (fine/coarse) of, for example, carrots, radishes
  - shredding for example of parmesan, nuts, potatoes
- Powerful 150 W motor
- Large refill opening (ca. Ø 60 mm)
- Wide discharge opening (ca. Ø 80 mm)
- Accessories: 2 cutting attachments (fine/coarse), 2 grating attachments (fine/coarse), 1 shredding attachment
- 220–240 V, 50/60 Hz, 150 W
- W x H x D approx. 150 x 275 x 230 mm



Fine cutting  
e.g. onions

Coarse cutting  
e.g. cucumbers

Fine grating  
e.g. potatoes

Coarse grating  
e.g. carrots

Shredding  
e.g. parmesan



2in1

Multi chopper  
& ice-crusher

2in1

Multi chopper  
& ice-crusher

2in1

Multi chopper  
& ice-crusher

42

Multi chopper  
MZ 3579

- Mixing bowl (1 litre capacity)
- Removable chopping blade (rustproof)
- Incl. ice-crusher function
- Safe base
- Easy to clean
- 220–240 V, 50/60 Hz, 250 W
- W x H x D approx. 175 x 220 x 175 mm

Multi chopper  
MZ 3579

- Mixing bowl (1 litre capacity)
- Removable chopping blade (rustproof)
- Incl. ice-crusher function
- Safe base
- Easy to clean
- 220–240 V, 50/60 Hz, 250 W
- W x H x D approx. 175 x 220 x 175 mm

Multi chopper  
MZ 3580

- Mixing bowl made of glass (1.2 litre capacity)
- Removable chopping blade (stainless steel, rustproof)
- 2-level pulse switching
- Incl. ice-crusher function
- Safe base
- Easy to clean
- 220–240 V, 50/60 Hz, 300 W
- W x H x D approx. 175 x 265 x 175 mm



Can also be combined as a suitable kitchen set

Art. no. 263 662  
EAN 4 006 160 636 628 PU 6



Art. no. 263 675  
EAN 4 006 160 636 758 PU 6  
Art. no. 263 676  
EAN 4 006 160 636 765 PU 6  
Art. no. 263 723  
EAN 4 006 160 637 236 PU 6  
Art. no. 263 677  
EAN 4 006 160 636 772 PU 6



Art. no. 263 661  
EAN 4 006 160 636 611 PU 6







**2in1**

**Multi chopper  
& ice-crusher**



### Multi chopper MZ 3560

- Mixing bowl made of glass (1.2 litre capacity)
- 2 removable chopping blades (stainless steel, rustproof)
- Incl. ice-crusher function
- Stainless steel insert
- Safe base
- Easy to clean
- 220-240 V, 50 Hz, 300 W
- W x H x D approx. 175 x 280 x 175 mm

### Hand mixer HM 3014

- Powerful 250 watt motor
- 5 speed level
- Eject button
- Stainless steel dough hooks and beaters
- All accessories are dishwasher-safe
- 230 V, 50 Hz, 250 W
- W x H x D approx. 180 x 280 x 90 mm

### Hand mixer HM 3014

- Powerful 250 watt motor
- 5 speed level
- Eject button
- Stainless steel dough hooks and beaters
- All accessories are dishwasher-safe
- 230 V, 50 Hz, 250 W
- W x H x D approx. 180 x 280 x 90 mm

43



Can also be combined as a suitable kitchen set



Can also be combined as a suitable kitchen set

Art. no. 263 624  
EAN 4 006 160 636 246 PU 6  
Art. no. 263 667  
EAN 4 006 160 636 673 PU 6



Art. no. 262 147  
EAN 4 006 160 621 471 PU 6



Art. no. 263 678  
EAN 4 006 160 636 789 PU 6  
Art. no. 263 679  
EAN 4 006 160 636 796 PU 6  
Art. no. 263 726  
EAN 4 006 160 637 267 PU 6  
Art. no. 263 680  
EAN 4 006 160 636 802 PU 6





2in1

**Hand mixer set**  
HM 3524

- Powerful 300 watt motor
- 5 speed level
- Turbo setting
- Eject button
- Stainless steel dough hooks and beaters (21 cm) (dishwasher-safe)
- 220–240 V, 50/60 Hz, 300 W
- W x H x D approx. 90 x 145 x 200 mm



Incl. quick blender



**Hand mixer set**  
HMS 3320

- Powerful 220 watt motor
- 5 speed level
- Turbo setting
- Eject button
- Large mixing bowl, rotating (2.5 litre)
- Accessory: 2 beaters and 2 dough hooks (chrome plated)
- Silent running
- All accessories dishwasher-safe
- 230 V, 50/60 Hz, 220 W
- W x H x D approx. 270 x 330 x 200 mm



2in1

**Hand mixer set**  
HMS 2739

- Powerful 250 watt motor
- 5 speed level
- Turbo setting
- High-speed blender attachment
- With fine steel knife, stainless steel beaters and dough hooks
- Large mixing bowl with automatic drive
- All accessories dishwasher-safe
- 230 V, 50/60 Hz, 250 W
- W x H x D approx. 300 x 350 x 200 mm



Incl. quick blender

Art. no. 261 707  
EAN 4 006 160 617 078

PU 6



Art. no. 263 117  
EAN 4 006 160 631 173

PU 2



Art. no. 261 770  
EAN 4 006 160 617 702

PU 2



ETM TESTMAGAZIN • URTEIL	
Clatronic KM3610	
<b>GUT</b>	88,7 %
Im Test: 8 Küchenmaschinen Testurteile: 2x sehr gut, 6x gut www.etm-testmagazin.de	
Heft 11/2015	



1000 Watt

## Kneading machine KM 3610

- Variable electronic speed control + pulse function
  - Electronic timer function
  - 4.2 litre fine steel dish for max. 2–2.5 kg dough preparation
  - Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
  - Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
  - Stainless steel whisk for light sponge cake and fluffy egg whites
  - Constant power through load-dependent, electronic speed control
  - 35° swivelling multifunction arm
  - Unlocking mechanism for multifunction arm
  - Safety circuit
  - Transparent splash protection lid (removable)
  - Particularly easy to operate and clean
  - High stability due to suction feet
  - Base station with cord storage
  - Quick-action chuck for holding the tools
- 220–240 V, 50/60 Hz, 600 W  
■ W x H x D approx. 365 x 309 x 220 mm

## Kneading machine KM 3647

- High-performance kneading machine with powerful 1000 watt
  - 8 speed level (0-1-2-3-4-5-6 + pulse function)
  - 5 litre fine steel dish for max. 2.5–3 kg dough preparation
  - Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
  - Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
  - Stainless steel whisk for light sponge cake and fluffy egg whites
  - Special robust gear mechanism
  - Constant power through load-dependent, electronic speed control
  - 35° swivelling multifunction arm
  - Unlocking mechanism for multifunction arm
  - Safety circuit
  - Transparent splash protection lid with refill opening (removable)
  - Particularly easy to operate and clean
  - High stability due to suction feet
  - Quick-action chuck for holding the tools
- 220–240 V, 50/60 Hz, 1000 W  
■ W x H x D approx. 356 x 309 x 275 mm

45



Art. no. 263 704  
EAN 4 006 160 637 045

PU 2



Art. no. 263 783  
EAN 4 006 160 637 830

PU 1



Art. no. 263 788  
EAN 4 006 160 637 885

PU 1





4.7 litre glass dish



## Kneading machine KM 3663

- High-performance kneading machine with powerful 1000 watt
  - 8 speed level (0-1-2-3-4-5-6 + pulse function)
  - 4.7 litre glass dish for max. 2.5–3 kg dough preparation
  - Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
  - Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
  - Stainless steel whisk for light sponge cake and fluffy egg whites
  - Special robust gear mechanism
  - Constant power through load-dependent, electronic speed control
  - 35° swivelling multifunction arm
  - Unlocking mechanism for multifunction arm
  - Safety circuit
  - Transparent splash protection lid with refill opening (removable)
  - Particularly easy to operate and clean
  - High stability due to suction feet
  - Quick-action chuck for holding the tools
- 220–240 V, 50/60 Hz, 1000 W
  - W x H x D approx. 346 x 312 x 284 mm



Art. no. 263 803  
EAN 4 006 160 638 035

PU 1





6.3 litre

1200 Watt

## Kneading machine KM 3630

47

- High-performance kneading machine with extra-powerful 1200 watt
  - 8 speed level (0-1-2-3-4-5-6 + pulse function)
  - 6.3 litre fine steel dish for max. 3–3.5 kg dough preparation
  - Aluminium die-cast stirring hook (non-stick coated) – also enables the uniform mixing of sizeable quantities of dough
  - Aluminium die-cast dough hook (non-stick coated) – for heavy doughs, e.g. yeast or bread dough
  - Stainless steel whisk for light sponge cake and fluffy egg whites
  - Special robust gear mechanism
  - 35° swivelling multifunction arm
  - Unlocking mechanism for multifunction arm
  - Safety circuit
  - Transparent splash protection lid with refill opening (removable)
  - Particularly easy to operate and clean
  - High stability due to suction feet
  - Quick-action chuck for holding the tools
- 220–240 V, 50 Hz, 1200 W  
■ W x H x D approx. 402 x 326 x 212 mm



35° swivelling  
multifunction arm



● Art. no. 263 739  
EAN 4 006 160 637 397

PU 1

● Art. no. 263 752  
EAN 4 006 160 637 526

PU 1

● Art. no. 263 753  
EAN 4 006 160 637 533

PU 1



## Kneading machine KM 3636

- High-performance kneading machine with extra-powerful 1200 watt
  - 8 speed level (0/1/2/3/4/5/6 + pulse function)
  - 6.3 litre stainless steel dish for max. 3–3.5 kg dough preparation
  - Glass mixing container with scale and refill opening (1.5 litre capacity)
  - Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
  - Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
  - Stainless steel whisk for light sponge cake and fluffy egg whites
  - Special robust gear mechanism
  - 35° swivelling multifunction arm with unlocking mechanism
  - Safety circuit
  - Transparent splash protection lid with refill opening (removable)
  - Particularly easy to operate and clean
  - High stability due to suction feet
  - Quick-action chuck for holding the tools
- 220–240 V, 50 Hz, 1200 W
- WxHxD approx. 428 x 556 x 235 mm



Art. no. 263 763  
EAN 4 006 160 637 632


PU 1







Incl. glass mixing container with scale and refill opening (1.5 litre capacity)



Pasta attachments, e.g. for spaghetti, macaroni, penne and tagliatelle



**4in1**

**1000 Watt**

## Kneading machine KM 3648

49

- High-performance kneading machine with powerful 1000 watt
- 8 speed level (0/1/2/3/4/5/6 + pulse function)
- 5 litre fine steel dish for max. 2.5–3 kg dough preparation
- Glass mixing container with scale and refill opening (1.5 litre capacity)
- Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Special robust gear mechanism
- 35° swivelling multifunction arm with unlocking mechanism
- Transparent splash protection lid with refill opening (removable)
- Safety circuit
- Particularly easy to operate and clean
- High stability due to suction feet
- Quick-action chuck for holding the tools

### Mincer

- Metal tube, metal cutter, 3 steel mincing disks, stainless steel cutter, sausage filler accessory, biscuit attachment, metal refill tray, attachment for oriental dumplings

### Pasta function

- Make pasta yourself with 4 different attachments, e.g. spaghetti, penne, macaroni, tagliatelle

- 220–240 V, 50/60 Hz, 1000 W
- W x H x D approx. 426 x 563 x 230 mm



Accessories: 4 different pasta attachments, metal tube, 3 stainless steel mincing disks, biscuit attachment, sausage filler accessory, kebbe attachment for oriental cuisine



Incl. mincer and pasta function



Glass mixing container with scale and refill opening





50

## Kneading machine KM 3674

- High-performance kneading machine with extra-powerful 1200 watt
- Electronic timer function / LCD display (illuminated in blue)
- Consistent performance due to load-dependent electronic rotation speed control
- 10 speed levels (0/1/23/4/5/6/7/8) + pulse function)
- Soft start for slow mixing
- 6.2 litre fine steel dish for max. 3–3.5 kg mixture preparation
- Glas mixing vessel with scale and filling aperture, 1.5 litre
- Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook – for heavy doughs e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gears
- 35° swivelling multifunction arm with unlocking mechanism
- Transparent splash protection lid with filling aperture (detachable)
- Safety circuit
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Quick-action chuck for holding the tools

### Mincer

- Metal tube, metal cutter, 3 steel mincing disks, stainless steel cutter, sausage filler accessory, biscuit attachment, metal refill tray, attachment for oriental dumplings

### Pastafunction

- Make pasta yourself with 3 different attachments for spaghetti, macaroni, tagliatelle
- 220–240 V, 50/60 Hz, 1200 W / WxHxD approx. 421 x 336 x 293 mm



Accessories: 3 different pasta attachments, metall cutter, metal tube, 3 stainless steel mincing disks, biscuit attachment, sausage filler accessory, kebbe attachment for oriental cuisine



Incl. mincer and pasta function



Glass mixing container with scale and refill opening



LCD display



Art. no. 263 811  
EAN 4 006 160 638 110

PU 1





**7in1**

## Food processor KM 3645

- Powerful food processor with 600 watt
- 4 speed level (0-1-2 + pulse function)
- Mixing vessel with scale and refill opening (1.5 litre capacity)
- Working container with scale and refill opening (1.5 litre capacity)
- Cover for the refill opening can also be used as a measuring beaker (3 cl)
- High-grade, interchangeable attachments from stainless steel for chopping and cutting
- Safety circuit
- Accessories (7in1): Mixing vessel with scale and refill opening (1.5 litre capacity), 1x cutting insert, 1x grating insert, 1x chipping/julienne disc, mixing blade, chopping blade, citrus juicer application, measuring cup (3 cl)
- High stability due to suction feet
- 220–240 V, 50/60 Hz, 600 W
- W x H x D approx. 267 x 385 x 205 mm



**5in1**

**Stainless steel**

## Food processor KM 3646

- Stainless steel housing
- 4 speed level (0-1-2 + pulse function)
- Mixing vessel with scale and refill opening (1.5 litre capacity)
- Working container with scale and refill opening (1.0 litre capacity)
- Cover for the refill opening can also be used as a measuring beaker (3 cl)
- High-grade, interchangeable attachments from stainless steel for cutting and grating
- Safety circuit
- Accessories (5in1): Mixing vessel with scale and refill opening (1.5 litre capacity), stainless steel cutting/grating insert, mixing blade, chopping blade, measuring cup (3 cl)
- High stability due to suction feet
- 220–240 V, 50 Hz, 500 W
- W x H x D approx. 190 x 370 x 190 mm

51



Accessories: 1x cutting insert, 1x grating insert, 1x chipping/julienne disc, mixing blade, chopping blade, citrus juicer application



Incl. mixing vessel with scale and refill opening (1.5 litre capacity)



Accessories: 1x stainless steel cutting/grating insert, mixing blade, chopping blade



Incl. mixing vessel with scale and refill opening (1.5 litre capacity)

Art. no. 263 782  
EAN 4 006 160 637 823

PU 2



Art. no. 263 781  
EAN 4 006 160 637 816

PU 2







1000 Watt



1200 Watt



52

### Mincer FW 3151

- Stainless steel insert
- Metal cutter
- Metal tube
- Metal filling tray
- Stainless steel cutter
- 3 steel disks
- Reverse function
- Pastry attachment
- Sausage filler accessory
- Kebbe attachment – oriental cuisine
- On/off switch

- 220–240 V, 50 Hz, 1000 W max.
- W x H x D approx. 330 x 350 x 195 mm

### Mincer FW 3506

- Chrome-plated front plate
- Metal neck
- Metal feed tray
- Metal feed screw
- 3 stainless steel discs (7/5/3 mm)
- Stainless steel knife
- Reverse function
- Cookie maker attachment
- Sausage filler accessory
- Kebbe attachment – oriental cuisine
- On/off switch
- High stability due to suction feet

- 220–240 V, 50/60 Hz, 1200 W max.
- W x H x D approx. 330 x 355 x 170 mm



PREIS-/LEISTUNGSSIEGER	
IM TESTMAGAZIN-URTEIL	
Clatronic FW 3506	
<b>GUT</b>	82,5 %
Im Test: 13 Fleischwölfe Testurteile: 1x sehr gut, 12x gut www.etm-testmagazin.de	
Heft 11/2015	

Integrated storage  
compartment for accessories



Incl. 3 steel discs, cookie maker attachment,  
kebbe attachment, sausage filler accessory



Incl. 3 stainless steel discs, cookie maker attachment,  
kebbe attachment, sausage filler accessory

### Universal mixer UM 3470

- Universal mixer for pureeing, beating, chopping, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for kitchen and bar
- Ice crush function
- Powerful max. 500 watt motor
- 5 speed level (0-1-2-3-4 + pulse/turbo function)
- Removable mixing bowl (1.5 litre capacity)
- Lid with refill opening
- Cover for the refill opening can also be used as a measuring beaker (2 cl)
- Stainless steel blade (rustproof)
- Safety circuit – operation only possible with vessel in place
- High stability due to rubberized feet

- 220–240 V, 50/60 Hz, 500 W max.
- W x H x D approx. 160 x 400 x 160 mm

Art. no. 263 315  
EAN 4 006 160 633 153 PU 4



Art. no. 261 691  
EAN 4 006 160 616 910 PU 4



Art. no. 263 583  
EAN 4 006 160 635 836 PU 4





**2in1**

### Universal mixer UM 3561

- Universal mixer for pureeing, beating, chopping, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for kitchen and bar
- Stainless steel front
- Incl. ice-crusher function
- Powerful 600 watt motor
- 4 level switch (0-1-2 + pulse/turbo function)
- Removable mixing bowl made of solid glass with scale (1.5 litre capacity)
- Lid with refill opening
- Cover for the refill opening can also be used as a measuring beaker (5 cl)
- 4-fold stainless steel blade (rustproof)
- Safety circuit – operation only possible with vessel in place
- Knife block removable for cleaning
- High stability due to rubberized feet
- 220–240 V, 50/60 Hz, 600 W
- W x H x D approx. 185 x 410 x 200 mm



**2in1**

Stainless steel

### Universal mixer UM 3284

- Stainless steel universal mixer for pureeing, beating, chopping up, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for kitchen and bar
- Stainless steel housing
- Ice-crusher function
- Powerful max. 650 watt motor
- 4 speed level (0-1-2 + pulse function)
- Rotary switch (blue illuminated)
- Removable mixing vessel made of solid glass with 1.5 litre capacity (with scale)
- Lid with refill opening
- Cover for the refill opening can also be used as a measuring beaker (2 cl)
- 6-fold stainless steel blade (rustproof)
- Safety circuit – operation only possible with vessel in place
- All accessories are dishwasher-resistant
- Knife block removable for cleaning
- High stability due to rubberized feet
- Cable storage compartment in the base section
- 220–240 V, 50/60 Hz, 650 W max.
- W x H x D approx. 200 x 410 x 185 mm

53



Can also be combined as a suitable kitchen set



**Art. no. 263 625**  
**EAN 4 006 160 636 253**

**PU 4**



**Art. no. 263 668**  
**EAN 4 006 160 636 680**

**PU 4**



**Art. no. 263 115**  
**EAN 4 006 160 631 159**

**PU 4**





Stainless steel



Mixing cup also suitable as drinking cup

2in1

54

### Universal mixer UM 3644

- Stainless steel universal mixer for pureeing, beating, chopping up, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for kitchen and bar
- Stainless steel housing
- Ice-crusher function
- Powerful 650 watt motor
- 4 speed level (0-1-2-3-4 + pulse function)
- Removable mixing vessel made of solid glass with 1.5 litre capacity (with scale)
- Lid with refill opening
- Cover for the refill opening can also be used as a measuring beaker (6.5 cl)
- 4-fold stainless steel blade with „piranha“ cut for easy mixing (rustproof)
- Safety circuit – operation only possible with vessel in place
- High stability due to rubberized feet
- 220–240 V, 50/60 Hz, 650 W
- W x H x D approx. 177 x 400 x 175 mm

### Smoothie maker SM 3593

- Universal mixer for pureeing, beating, chopping up, shaking and mixing, consisting of base, mixing cup and lid with drinking aperture
- “Mix & Go” – Mix your favorite shake in a few minutes. With the practical drinking aperture, you can take your freshly prepared shake with you to work, school or sports
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Incl. recipe suggestions
- Incl. lid with drinking aperture
- Ideal for kitchen, bar and on the road
- Powerful motor, 250 W
- 1 speed (pulse function)
- Detachable mixing container (600 ml)
- Stainless steel blade (rustproof)
- Safety circuit – operation only possible with vessel in place
- All accessories dishwasher safe
- High stability due to rubberized suction pads
- 220–240 V, 50 Hz, 250 W
- W x H x D approx. 130 x 370 x 125 mm



### Replacement bottle for Smoothie maker EF SM 3593



Art. no. 264 559

EAN 4 006 160 645 590

VE 6



Art. no. 263 780

EAN 4 006 160 637 809

PU 4



Art. no. 263 480

EAN 4 006 160 634 808

PU 6



Art. no. 263 688

EAN 4 006 160 636 888

PU 6



Art. no. 263 689

EAN 4 006 160 636 895

PU 6



Art. no. 263 722

EAN 4 006 160 637 229

PU 6



Art. no. 263 690

EAN 4 006 160 636 901

PU 6







**Bar mixer / milk frother**  
BM 3472

- Bar mixer and milk frother
- Attractive chrome design
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, salsa sauces, baby food
- Ideal for bar and kitchen
- Powerful 65 watt motor
- 2 speed level
- Stainless steel cup with a capacity up to 650 ml
- Convenient cup holder with safety circuit
- Stainless steel blender
- High stability due to rubberized feet
- 230 V, 50 Hz, 65 W
- W x H x D approx. 135 x 370 x 175 mm



**Citrus fruit squeezer**  
ZP 3066

- Removable bowl with aroma protective cover (1.2 litre)
- 2 press cones
- Automatic start/stop function by pressing juicer cone
- Automatic clockwise/anticlockwise operation for optimal juice extraction
- Practical cable tidy
- 230 V, 50 Hz, 40 W
- W x H x D approx. 180 x 230 x 180 mm



**Citrus fruit squeezer**  
ZP 3253

- 2 press cones
- Automatic start/stop function by pressing juicer cone
- Automatic clockwise/anticlockwise operation for optimal juice extraction
- Unobstructed juice outflow
- Anti drip function
- 220–230 V, 50 Hz, 25 W
- W x H x D approx. 155 x 210 x 155 mm



Incl. practical cup holder



Stainless steel



Stainless steel



56

### Automatic juicer AE 3666

- Professional automatic juicer in high-quality stainless steel housing
- Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- 30 % more juice and vitamins
- Large filler spout (65 mm Ø)
- 3 speed levels (0-1-2) for different fruit hardness
- Pulp container (approx. 1.5 litre capacity)
- Open juice spout
- Drip-stop due to a folding juice spout
- Lock with safety switch
- Stainless steel sieve for finest juices
- Can be completely disassembled – quick and easy cleaning
- High stability
- 220–240 V, 50/60 Hz, 400 W max.
- WxHxD approx. 272 x 295 x 171 mm



Large filler spout  
(65 mm Ø)



Drip-stop due to a  
folding juice spout

### Professional automatic juicer AE 3532

- Professional automatic juicer in high-quality stainless steel housing
- Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- 30 % more juice and vitamins
- Extra large filler spout (75 mm Ø)
- Extracts the juice from apples, carrots and other fruits within seconds without having to chop them
- Powerful 1000 watt motor max.
- 3 speed level (0-1-2) for different fruit hardness
- High volume pulp container (approx. 2.0 litre capacity)
- Open stainless steel juice spout
- Flexible anti-drip juice spout – no splashes and no wiping
- Lock with safety switch
- Stainless steel sieve for finest juices
- Can be completely disassembled – quick and easy cleaning
- High stability
- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 300 x 400 x 220 mm

Art. no. 263 804  
EAN 4 006 160 638 042

PU 4



Art. no. 263 612  
EAN 4 006 160 636 123

PU 2





Stainless steel



Stainless steel

## Glass kitchen scale KW 3626

- Extra-flat digital kitchen scale
- Weighing surface made of high-quality glass
- Clearly legible LCD display
- Weights up to 5 kg (1 g scaling)
- Adjustable measuring units: g, lb-oz, ml, fl-oz
- Automatic switch-off
- On/off switch
- Tare function (additive weighed function)
- High stability due to rubberized feet
- Low battery indication
- Battery-operated: 1 x CR 2032 (battery supplied)
- W x H x D approx. 150 x 17 x 220 mm

## Kitchen scale KW 3367

- Extra-flat digital kitchen scale
- Weighing surface made of stainless steel
- Clearly legible LCD display
- Weights up to 5 kg (1 g scaling)
- Adjustable measuring units: kg, g, lb, oz
- Automatic switch-off
- On/off switch
- Tare function (additive weighed function)
- Battery-operated: 2 x AAA (batteries not supplied)
- W x H x D approx. 150 x 20 x 180 mm

## Kitchen scales KW 3412

- Extra-flat digital kitchen scale
- Weighing surface made of stainless steel
- Clearly legible LCD display (blue illuminated)
- Weights up to 5 kg (1 g scaling)
- Adjustable measuring units: kg, g, lb, oz
- Automatic switch-off
- On/off switch
- Tare function (additive weighed function)
- Hanging loop (blue illuminated)
- Battery-operated: 3 x AAA (batteries supplied)
- W x H x D approx. 170 x 15 x 230 mm



Can also be combined as a suitable kitchen set

● Art. no. 263 730 PU 6  
EAN 4 006 160 637 304  
● Art. no. 263 734 PU 6  
EAN 4 006 160 637 342  
● Art. no. 263 733 PU 6  
EAN 4 006 160 637 335

● Art. no. 263 731 PU 6  
EAN 4 006 160 637 311  
● Art. no. 263 732 PU 6  
EAN 4 006 160 637 328

● Art. no. 271 667 PU 6  
EAN 4 006 160 716 672

● Art. no. 271 680 PU 6  
EAN 4 006 160 716 801







Stainless steel



58

### Kitchen scale KW 3416

- Extra-flat digital kitchen scales with permanent clock and temperature information
- Stainless steel weighing surface
- Clearly legible, high-quality multifunction LCD display
- Weights up to 5 kg (1 g scaling)
- Adjustable measuring units: kg, g, lb, oz
- Automatic switch-off for weighing function
- On/off switch
- Tare function (additive weighed function)
- Battery-operated: 3 x AAA (batteries supplied)
- W x H x D approx. 160 x 18 x 230 mm

### Food dryer DR 2751

- Food dryer dries fruit, vegetables, herbs, meat etc. Rich in essential minerals for well-being, fitness and health
- Variable use through 5 stackable level
- Circulating air blower, circulating air function
- On/off switch
- Overheating protection
- 230 V, 50 Hz, 250 W
- W x H x D approx. 285 x 160 x 315 mm

### Food dryer DR 3525

- Food dryer dries fruit, vegetables, herbs, meat etc. Rich in essential minerals for well-being, fitness and health
- 2 temperature stages
- Variable use by 5 large, transparent, and stackable level (easy cleaning)
- Circulation fan, air circulation function
- Overheating protection
- 220–240 V, 50 Hz, 300 W
- W x H x D approx. 330 x 315 x 327 mm



5 stackable level



Variable use by 5 large, transparent, and stackable level (easy cleaning)



Art. no. 271 683  
EAN 4 006 160 716 832

PU 6



Art. no. 261 767  
EAN 4 006 160 617 672

PU 4



Art. no. 261 699  
EAN 4 006 160 616 996

PU 4





**2in1**

### Can opener DO 3627

- Flexible magnet holder for lid of tin
- Suitable for cans of up to max. 19 cm height
- Automatic start/stop function
- Detachable blade (easy cleaning)
- Inclusive:
  - Bottle opener
  - Blade sharpener (ceramic)
- Cord storage
- Secure stand
- 220–240 V, 50/60 Hz, 80 W
- W x H x D approx. 135 x 230 x 115 mm

### Bag sealer FS 3261

- Ideal for dividing food into portions
- Electronically controlled bag sealer
- Seals and separates in one operation
- Strong extraction pump
- With bag storage view window
- 2 indicator lights
- Cord storage in base
- Incl. a roll of film (3 m)
- 220–240 V, 50/60 Hz, 100 W
- W x H x D approx. 330 x 80 x 125 mm

#### Spare rolls:

Art. no.	282 020	
EAN	4 006 160 820 201	PU 10
Art. no.	8900 216	
EAN	4 006 160 900 217	PU 10

### Fondue deep fat pan FFR 2916

- Cool touch housing
- Capacity: 1 litre oil/frying fat
- Deep frying basket with removable handle
- Continuously variable thermostat
- Control panel with display
- 6 fondue forks marked in colour
- Protective ring against spray/fork holder
- Changeable odour and fumes filter
- Overheating protection
- 220–240 V, 50 Hz, 840 W
- W x H x D approx. 190 x 240 x 190 mm

59



Integrated bottle opener



Integrated knife sharpener (ceramic)



Art. no. 263 737  
EAN 4 006 160 637 373 PU 6



Art. no. 263 083  
EAN 4 006 160 630 831 PU 6



Art. no. 282 232  
EAN 4 006 160 822 328 PU 4





Removable  
oil container



60

### Deep fat fryer FR 3390

- Cool touch housing
- Capacity: approx. 2 litre oil/frying fat
- Oil container with non-stick coating
- Large frying basket, can be raised and lowered with the lid closed
- Pop-up lid with viewing window (detachable)
- On/off switch (0-1)
- Continuously adjustable thermostat with indicator light (130°C–190°C)
- 2 indicator lights for power and heating
- Changeable odour and fumes filter
- Collecting container for condensation
- 2 recessed grips for safe transport
- 230 V, 50 Hz, 1800 W
- W x H x D approx. 245 x 260 x 320 mm

### Deep fat fryer FR 3548

- Cool touch housing
- Capacity: 3 litre of oil/frying fat
- Removable oil container (non-stick coated)
- Large frying basket (can be raised or lowered with the lid closed)
- Pop-up lid with viewing window
- Continuously adjustable thermostat (130°C–190°C)
- 30 minute timer with shut-off signal
- 2 indicator lights for temperature/operation
- Changeable odour and fumes filter
- Cable rewind
- 230 V, 50 Hz, 2000 W
- W x H x D approx. 260 x 260 x 420 mm

### Deep fat fryer FR 3649

- Stainless steel applications
- Capacity: 2.5 litre of oil/frying fat
- Oil container (non-stick coated)
- Pop-up lid with viewing window (removable)
- Continuously adjustable thermostat (130°C–190°C)
- 2 indicator lights for temperature/operation
- Odour and fumes filter
- Drip tray
- Carrying handles (heat-insulated)
- Overheating protection
- 230 V, 50 Hz, 1600 W
- W x H x D approx. 310 x 230 x 310 mm



Art. no. 263 180  
EAN 4 006 160 631 807

PU 2



Art. no. 283 045  
EAN 4 006 160 830 453

PU 2



Art. no. 263 773  
EAN 4 006 160 637 731

PU 2







Stainless steel

### Hot air fryer FR 3667 H

- Oil and fat free hot air fryer
  - Low smoke or odors
  - Time and energy-saving cooking
  - Cool touch handle
  - Stainless steel inserts
  - Capacity: 2.2 litre
  - Removable container (non-stick coated) with safety switch
  - Continuously adjustable thermostat (80°C–200°C)
  - 60 minute timer with shut-off signal
  - 2 indicator lights for temperature/operation
  - Overheating protection
- 220–240 V, 50/60 Hz, 1500 W
- W x H x D approx. 265 x 335 x 315 mm


### Stainless steel deep fat fryer FR 3586

- Housing, lid, heating coil made of stainless steel
  - Cool zone technology – heating coils immersed directly in the oil for rapid heating and for odorless frying
  - Capacity: 3 litre of oil/frying fat
  - Continuously adjustable thermostat with indicator light
  - Removable fat container (enamelled)
  - Stainless steel heating coil (removable)
  - Drip tray
  - Carrying handles (heat-insulated)
  - Cord storage
  - Overheating protection
- 230 V, 50 Hz, 2000 W
- W x H x D approx. 215 x 240 x 405 mm

61



Capacity: 2.2 litre



Art. no. 263 797  
EAN 4 006 160 637 977

PU 2



Art. no. 263 684  
EAN 4 006 160 636 840

PU 2



PREIS-/LEISTUNGSSIEGER	
ETM TESTMAGAZIN - URTEIL	
Clatronic FR 3587	
<b>GUT</b>	88,5 %
Im Test: 8 Kaltzonen-Fritteusen Testurteile: 1x sehr gut, 7x gut <a href="http://www.etm-testmagazin.de">www.etm-testmagazin.de</a>	
Heft 03/2016	



Stainless steel




Stainless steel

### Stainless steel deep fat fryer FR 3587

- Housing, lid, heating coil and grease trap made of stainless steel
  - Cool zone technology – heating coils immersed directly in the oil for rapid heating and for odorless frying
  - Capacity: 3 litre of oil/frying fat
  - Continuously adjustable thermostat with indicator light
  - Lid with viewing window
  - Stainless steel grease trap (removable)
  - Stainless steel heating coil (removable)
  - Drip tray
  - Carrying handles (heat-insulated)
  - Changeable odour and fumes filter
  - Cord storage
  - Overheating protection
- 230 V, 50 Hz, 2000 W  
■ W x H x D approx. 215 x 240 x 405 mm




Stainless steel grease trap (removable)



### Double deep fat fryer FR 3195

- Professional double deep fat fryer with 2 small baskets and one large frying basket for various types of food
  - Housing, lid, heating coil made of stainless steel
  - Cool-zone technology – heating element directly in the fat for rapid heating and low-odour deep fat frying
  - Capacity: 4 litre of oil/frying fat
  - Removable fat container (enameled)
  - Splash guard lid with filter
  - Continuously adjustable thermostat up to 190°C
  - 2 indicator lights for power and heating
  - Overheating protection
- 230 V, 50 Hz, 2x2000 W  
■ W x H x D approx. 227 x 375 x 385 mm



Art. no. 263 685  
EAN 4 006 160 636 857

PU 2



Art. no. 273 531  
EAN 4 006 160 735 314

PU 2



TESTMAGAZIN • URTEIL	
Clatronic RK 3567	
<b>GUT</b>	87,9 %
Im Test: 9 Reiskocher Testurteile: 1x sehr gut, 8x gut www.etm-testmagazin.de	
Heft 08/2015	



**2in1**



**2in1**



**Stainless steel**

## Rice cooker RK 3566

- Rice cooker and steam cooker in one
- Rice cooker for easy preparation and keeping warm all types of rice, pulses, soups, cereals
- Additional aluminium steamer insert for vitaminretaining steam cooking of e.g. vegetables, potatoes and fish
- Safety glass lid with steam outlet
- Removable pot (non-stick coating)
- For max. 1300 g of rice (uncooked weight) yields approximately 2500 g cooked rice
- Automatic keep warm mode when cooking has finished
- Automatic switch-off (energy-saving)
- On/off switch
- Cool touch handles
- Removable supply cable
- Safety function: can only be switched on when pot is in position
- 3 indicator lights for cooking, keeping warm and mains
- Accessories: measuring beaker (160 ml max.), rice spoon
- 220–240 V, 50 Hz, 700 W
- W x H x D approx. 310 x 310 x 260 mm



Incl. aluminium steamer insert

## Rice cooker RK 3567

- Rice cooker and steam cooker in one
- Rice cooker for easy preparation and keeping warm all types of rice, pulses, soups, cereals
- Stainless steel housing
- Additional aluminium steamer insert for vitaminretaining steam cooking of e.g. vegetables, potatoes and fish
- Safety glass lid with steam outlet
- Removable pot (non-stick coating)
- For max. 1300 g of rice (uncooked weight) yields approximately 2500 g cooked rice
- Automatic keep warm mode when cooking has finished
- Automatic switch-off (energy-saving)
- On/off switch
- Cool touch handles
- Removable supply cable
- Safety function: can only be switched on when pot is in position
- 3 indicator lights for cooking, keeping warm and mains
- Accessories: measuring beaker (160 ml max.), rice spoon
- 220–240 V, 50/60 Hz, 700 W
- W x H x D approx. 310 x 310 x 260 mm



Incl. aluminium steamer insert



PREIS-/LEISTUNGSSIEGER	
ETM TESTMAGAZIN • URTEIL	
Ciatronic BBA 3505	
<b>GUT</b>	84,14 %
Im Test: 9 Brotbackautomaten Testurteile: 1x sehr gut, 8x gut www.etm-testmagazin.de	
Heft 10/2016	



Jam/marmalade  
program



Wholemeal  
program

## Bread maker BBA 3505

- Fully automatic dough and bread preparation (kneading, rising, baking)
- Non-stick coated baking form (removable)
- 2 litre capacity (corresponds to about 1000 g bread)
- 12 baking programs / 39 available settings
- Programs: Normal, french, whole wheat, fast baking, sweet, ultra fast baking I, ultra fast baking II, dough, jam, cake, sandwich, baking
- Extra bake function
- Warming function
- Electronic control panel with backlight LCD display
- 13 hour timer
- Variably settable dough quantity
- Variable crust browning control (light, medium, dark)
- Cool touch housing
- Lid with viewing window (removable)
- 230 V, 50 Hz, 600 W
- W x H x D approx. 405 x 305 x 265 mm



Stainless steel



Jam/marmalade  
program



Wholemeal  
program

## Bread maker BBA 3365

- Fully automatic dough and bread preparation (kneading, rising, baking)
- Non-stick coated baking form (removable)
- 2 litre capacity (corresponds to about 1000 g bread)
- 11 baking programs / 34 possible combinations
- Programs: Normal, french, whole wheat, fast baking, sweet, dough, jam, cake, sandwich, baking, kneading
- Warming function
- Electronic control panel with LCD display and audible signal (blue illuminated)
- 13 hour timer
- Variably settable dough quantity
- Variable crust browning control (light, medium, dark)
- Lid with viewing window (removable)
- 230 V, 50 Hz, 700 W
- W x H x D approx. 270 x 290 x 350 mm



Electronic control panel with LCD-Display



Art. no. 261 690  
EAN 4 006 160 616 903

PU 2



Art. no. 263 159  
EAN 4 006 160 631 593

PU 2





2in1

Hot dog maker  
& egg boiler

### Steam cooker DG 3665

- Steam cooker for the healthy cooking of food without burning vitamins
- 3 steam cooker containers, 1 lid, 1 rise bowl
- Semi-transparent water tank (1.5 litre)
- Drip bowl for the collection of juices
- 60 minute timer
- Water level indicator
- Water replenishable during operation
- Easy to clean
- Overheating protection
- 220–240 V, 50 Hz, 800 W
- W x H x D approx. 325 x 400 x 240 mm

### Steam cooker DG 3547

- Steam cooker for the healthy cooking of food without burning vitamins
- Water-inflow-control – faster steam generation
- 3 steam cooker containers, 1 lid, 1 rise bowl
- High-grade steel base
- Programmable digital timer
- Incl. LCD display (blue illuminated)
- Incl. power control light
- Drip pan for collecting liquids
- Water level indicator
- Add more water during operation
- Easy to clean
- Overheating protection
- 220–240 V, 50/60 Hz, 700–800 W
- W x H x D approx. 310 x 445 x 240 mm

### Hot dog maker HDM 3420 EK N

- Hot dog maker and egg boiler in one
- For 1 to 14 small sausages (e. g. "Frankfurter", "Vienna sausages")
- Heated stainless steel skewer
- Preparation of up to 6 eggs
- Removable egg holder
- Transparent steam tank (removable)
- Non-stick coated water bowl
- 2 separate switches for spike and steamer (blue illuminated)
- Incl. measuring cup with egg pricker
- 230 V, 50 Hz, 380 W
- W x H x D approx. 235 x 270 x 160 mm

65



High-grade steel base incl. LCD display / timer with backlight



Art. no. 263 802  
EAN 4 006 160 638 028

PU 4

Art. no. 283 044  
EAN 4 006 160 830 446

PU 2

Art. no. 251 136  
EAN 4 006 160 511 369

PU 6





Stainless steel



Stainless steel

Ceramic coated

180° opening

66

### Contact grill KG 3487

- Contact grill for double-sided, fat-free grilling
  - Fat drainage channel and drip tray (tray removable for easy cleaning)
  - 2000 watts
  - Stainless steel housing
  - Continuously adjustable thermostat
  - Short cooking times
  - Non-stick grill plates with extra deep grooves for strong grill pattern and smooth fat drainage
  - Large, heat-insulated handle
  - 2 indicator lights for power supply and heating
  - Temperature "ready" display
  - Large grill area: approx. 29.5 x 23.5 cm
  - Cord storage
  - Versatile, can be used for e.g. panini, steaks, fish or vegetables
- 220–240 V, 50/60 Hz, 2000 W  
■ W x H x D approx. 335 x 145 x 335 mm

### Contact grill KG 3571

- Contact grill for double-sided, fat-free grilling
  - Barbecue grill – 180° opening enables grilling on a large surface
  - Fat drainage channel and drip tray (tray removable for easy cleaning)
  - 2000 watt
  - Stainless steel housing
  - Continuously adjustable thermostat
  - Short cooking times
  - Scratch-resistant, ceramic coated grill plates with extra deep grooves for strong grill pattern and optimal fat runoff
  - Large, heat-insulated handle
  - 2 indicator lights for power supply and heating
  - Temperature "ready" display
  - Large grill areas: 2x approx. 29.5 x 23.5 cm
  - Cord storage
  - Versatile, can be used for e.g. panini, steaks, fish or vegetables
- 220–240 V, 50/60 Hz, 2000 W  
■ W x H x D approx. 356 x 145 x 336 mm



Stainless steel housing



Scratch resistant ceramic coating



Stainless steel housing



Barbecue grill – 180° opening enables grilling on a large surface

Art. no. 261 670  
EAN 4 006 160 616 705

PU 3



Art. no. 263 657  
EAN 4 006 160 636 574

PU 3







### Teppanyaki grill TYG 3608

- Japanese-style grilling at the table (healthy and low in calories)
  - Fat-free, odourless and clean
  - Ideal for roasting, cooking and braising fish, meat and vegetables
  - Continuously adjustable thermostat
  - Non-stick coated plate retains and distributes the heat perfectly (easy to clean)
  - Grill area: approx. 45 x 25 cm
  - Drainage channel for excess fat
  - Removable drip tray (easy-to-clean)
  - Heat-insulated carrying handles
  - Safe base
- 230 V, 50 Hz, 2000 W  
■ W x H x D approx. 542 x 127 x 247 mm

### Party pan PP 3401

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
  - Quick heating and long keep warm function
  - Removable supply line with continuously adjustable thermostat
  - Anti-stick pan for easy cleaning
  - Ø 32 cm, depth: 3.5 cm
  - Heat-resistant glass lid with handle
  - Heat-insulated carrying handles
- 220–240 V, 50/60 Hz, 1500 W  
■ W x H x D approx. 380 x 160 x 400 mm



Removable drip tray (easy-to-clean)



Removable thermostat



Ceramic coated

68

### Party pan PP 3401 C

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Removable supply line with continuously adjustable thermostat
- Ceramic coated pan (scratch-proof and easy to clean)
- Ø 32 cm, depth: 3.5 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- 220–240 V, 50/60 Hz, 1500 W
- W x H x D approx. 380 x 160 x 400 mm

### Party pan PP 2914

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Removable supply line with continuously adjustable thermostat
- Non-stick coated pan (easy to clean)
- Ø 38 cm, depth: 4 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- 220–240 V, 50 Hz, 1400 W
- W x H x D approx. 450 x 140 x 400 mm



Scratch resistant ceramic coating

Art. no. 263 655  
EAN 4 006 160 636 550

PU 2



Art. no. 251 102  
EAN 4 006 160 511 024

PU 2





Ceramic coated

### Party pan PP 3570 C

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Removable supply line with continuously adjustable thermostat
- Ceramic coated pan (scratch-proof and easy to clean)
- Ø 42 cm, depth: 9 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- 220–240 V, 50/60 Hz, 1500 W
- W x H x D approx. 430 x 145 x 490 mm

### Party pan PP 3410

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Removable supply line with continuously adjustable thermostat
- Non-stick coated pan (easy to clean)
- Dimension: 30 x 30 cm, depth: 5 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- 220–240 V, 50/60 Hz, 1500 W
- W x H x D approx. 415 x 175 x 300 mm

69



Scratch resistant ceramic coating

Art. no. 263 656  
EAN 4 006 160 636 567

PU 2



Art. no. 251 131  
EAN 4 006 160 511 314

PU 4






**2in1**
**pizza-and  
Partypan**
**Pizza/party pan**  
PP 3402

- Pizza/party pan for boiling, frying, steaming, defrosting, keeping warm and making pizzas
- Quick heating and long keep warm function
- Removable supply line with continuously adjustable thermostat
- Non-stick coated pan (easy to clean)
- Ø 36 cm, depth: 3.5 cm
- Heat-resistant glass/metal lid with handle
- Heat-insulated carrying handles
- 220–240 V, 50/60 Hz, 1500 W
- W x H x D approx. 430 x 160 x 360 mm

PREIS-/LEISTUNGSSIEGER	
ETM TESTMAGAZIN • URTEIL	
Clatronic FD 3516 inox 1400W	
<b>GUT</b>	<b>90,35 %</b>
Im Test: 7 Elektrische Fonduees Testurteile: 2x sehr gut, 5x gut www.etm-testmagazin.de	
Heft 12/2016	


**8**
**Stainless steel**
**Fondue set**  
FD 3516

- Stainless steel fondue pot, rustproof (Ø 18.5 cm)
- Filling capacity up to max. 1.2 litre
- Fondue pot with encapsulated sandwich base for better heat distribution – also usable individually on different hobs (gas, electric, glass ceramic, halogen)
- Separate, stable hotplate made of stainless steel
- Continuously adjustable thermostat (illuminated)
- Thermal cut-out
- Thermal fuse
- Stainless steel splash protection with fork holder (removable)
- Accessories: 8 stainless steel fondue forks, color-coded
- 220–240 V, 50/60 Hz, 1200–1400 W
- W x H x D approx. 285 x 180 x 185 mm


 Continuously adjustable  
thermostat (illuminated)

 Art. no. 251 130  
EAN 4 006 160 511 307

PU 4


 Art. no. 261 704  
EAN 4 006 160 617 047

PU 4





**NEW!** Pizza oven  
PO 3681

- Pizza oven with handmade terracotta lid – tastes like stone-baked pizza
  - Individual pizzas for up to 4 people
  - Ideal for sociable evenings as an alternative to raclette and fondue
  - For up to 4 mini pizzas with ca. 11 cm Ø
  - Fat-free preparation – odor-neutral baking
  - Also for mini tartes flambées, pastries, and calzone
  - Baking time: only 5–7 minutes
  - Indicator light
  - 2 heating coils
  - Removable stainless steel base plate
  - Removable, handmade terracotta lid
  - Incl. sample recipes
  - Accessories: 4 stainless steel pizza shovels, 1 pizza cutter
- 220–240 V, 50/60 Hz, 800–900 W  
■ W x H x D approx. 300 x 200 x 300 mm



**NEW!** Pizza oven  
PO 3682

- Pizza oven with handmade terracotta lid – tastes like stone-baked pizza
  - Individual pizzas for up to 6 people
  - Ideal for sociable evenings as an alternative to raclette and fondue
  - For up to 6 mini pizzas with ca. 11 cm Ø
  - Fat-free preparation – odor-neutral baking
  - Also for mini tartes flambées, pastries and calzone
  - Baking time: only 5–7 minutes
  - On/off switch
  - 2 heating coils
  - Removable stainless steel base plate
  - Removable, handmade terracotta lid
  - Incl. sample recipes
  - Accessories: 6 stainless steel pizza shovels, 1 pizza cutter
- 220–240 V, 50/60 Hz, 1100 W  
■ W x H x D approx. 410 x 245 x 410 mm



Incl. pizza cutter



Incl. pizza cutter



**Raclette grill**  
RG 3592

- 2 persons raclette
- Cool touch housing
- For grilling and baking
- Grill area: approx. 20.5 x 10.5 cm
- 2 pans
- Grill plate and pans with non-stick coating (easy to clean)
- 230 V, 50 Hz, 350 W
- W x H x D approx. 300 x 105 x 105 mm



**Raclette grill**  
RG 3517

- Cool touch housing
- For grilling and browning
- Removable grill plate
- 8 pans
- 8 wooden spatulas
- Continuously adjustable thermostat
- Indicator light
- Non-stick coating on the grill plates and pans (easy to clean)
- Grill area: approx. 40.5 x 30 cm
- Safe base due to rubberized feet
- 220–240 V, 50/60 Hz, 1200–1400 W
- W x H x D ca. 430 x 130 x 340 mm



8 wooden spatulas

● Art. no. 263 694  
EAN 4 006 160 636 949 PU 6



● Art. no. 261 705  
EAN 4 006 160 617 054 PU 3





ETM TESTMAGAZIN • URTEIL	
Clatronic RG 3518	
GUT	84,41 %
Im Test: 10 Raclette-Grills Testurteile: 1× sehr gut, 9× gut www.etm-testmagazin.de	Heft 12/2016



2 in 1

## 2 in 1 Raclette grill RG 3518

- Cool touch housing
- For grilling and browning
- Turning iron plate – combination grill area for grilling fish (smooth surface) or meat (extra deep grooves for an intense grill pattern)
- Natural grill stone for low-fat, vitamin gentle preparation
- Total grill area: ca. 46 x 23 cm (2x ca. 23 x 23 cm)
- 8 pans, 8 wooden spatula
- Continuously adjustable thermostat (blue illuminated)
- Non-stick coating on the grill plates and pans (easy to clean)
- 220–240 V, 50/60 Hz, 1200–1400 W
- W x H x D approx. 465 x 150 x 235 mm



Natural grill stone  
for a healthy, low-fat grilling



Continuously adjustable thermostat (illuminated in blue)




Combination grill area for grilling fish or meat  
(turning iron plate)




2 in 1

## NEW! Raclette grill RG 3678


- Raclette grill with hot stone and turning iron plate
- For grilling and browning
- Turning iron plate – combination grill area for grilling fish (smooth surface) or meat (extra deep grooves for an intense grill pattern)
- Natural grill stone for low-fat, vitamin gentle preparation
- 180 degree pivoting joint allows variable positions of the two grilling plates – comfortable even for several persons
- Also suitable as a 4 person raclette
- Grill areas: 2 x ca. 380 x 115 mm
- 8 pans, 8 wooden spatula
- Non-stick coating on the grill plates and pans (easy to clean)
- 2x on/off switch with indicator light (blue illuminated), grill areas separately switchable
- 220–240 V, 50 Hz, 1200 Watt (2x 600 Watt)
- W x H x D approx. 530 x 150 x 250 mm



180° swiveling



Also suitable as a 4 person  
raclette



Variable and adjustable



### Electric grill lighter EGA 3404

- Electric grill lighter for the safe ignition of grilling charcoal and charcoal briquettes
- No chemicals, no smells
- For clean, fast grilling enjoyment
- Minimum smoke level
- Barbecue fire ignited in about 10 minutes
- Simple operation
- Large ignition surface with 3 filaments
- Incl. depositing aid (wall installation possible)
- Heat-insulated handle (ergonomically designed)
- Easy to clean
- 220–240 V, 50/60 Hz, 800 W
- W x H x D approx. 200 x 75 x 510 mm

### Electric charcoal lighter EGA 3662

- Electric charcoal lighter for the safe ignition of charcoal
- No chemicals, no smells
- For clean, fast grilling enjoyment
- Minimum smoke level
- Kindled barbecue fire in about 10–20 minutes
- Simple operation
- Large ignition surface with 3 filaments
- Heat-insulated handle inkl. heat shield
- Capacity: approx. 1.5 kg
- Easy to clean
- 230 V, 50 Hz, 600 W
- W x H x D approx. 300 x 275 x 170 mm

### Barbecue table grill BQ 2977 N

- Table grill in an attractive design with low smoke emission and low smell
- Cool touch housing
- On/off switch with indicator light
- Removable grill and heating elements for easy cleaning
- Metal drip tray
- Grilling surface: 35.5 x 24.5 cm
- 230 V, 50 Hz, 2000 W
- W x H x D approx. 480 x 100 x 360 mm



**Barbecue table grill**  
BQ 3507

**Barbecue standing grill**  
BQS 3508

75

- Table grill in an attractive design with low smoke emission and low smell
- Continuously adjustable thermostat with indicator light
- Chromed grill grid
- Removable grill and heating elements for easy cleaning
- Cool touch housing
- Metal drip tray
- Wind protection
- Grilling surface: 36 x 25 cm
- 230 V, 50 Hz, 2000 W
- W x H x D approx. 510 x 145 x 370 mm

- Stand grill in an attractive design with low smoke emission and low smell
- Continuously adjustable thermostat with indicator light
- Chromed grill grid
- Removable grill and heating elements for easy cleaning
- Cool touch housing
- Metal drip tray
- Wind protection (removable)
- Additional tray
- Can be converted to a table grill
- Grill height: approx. 80 cm
- Grilling surface: 35.5 x 24.5 cm
- 230 V, 50 Hz, 2000 W
- W x H x D approx. 510 x 820 x 370 mm



Can be converted to a table grill





Grill rack and warming rack  
(enameled)



Convenient storage basket  
for different grilling utensils



## Gas grill GG 3590

- 2x heating zones for separate temperature control (2 Burner)
- Sturdy grill hood with integrated temperature display
- Control knobs for continuous temperature setting
- 48,5 x 37,5 cm grill area comprising of one enameled grill rack (dishwasher safe)
- 48,5 cm long warming rack (enameled)
- Removable grease collection tray for easy cleaning
- 2 x burners
- Housing and side trays made of powder-coated steel
- Two wheels for convenient movement
- Convenient storage basket for different grilling utensils
- Large storage room / Storage for gas bottle
- Including gas pressure reduction valve and gas tube for Germany and Austria

### Specifications

- Burners: 2
- Main burner: 2x 2,75 kW / 5,5 kW
- Gas consumption: 400 gr/h
- Operating pressure: 50 mbar
- Ignition: Piezo ignition system
- Gas category: 13B/P(50)
- Gas type: Butane, propane, or their mixtures
- Target destinations: D, A, CH
- CE certification: Intertek institute, certification number: 0359BU1034
- W x H x D approx. 970 x 1000 x 550 mm



Integrated temperature display



Art. no. 263 692  
EAN 4 006 160 636 925

PU 1

CE 0359



## Convection oven HLO 3523

- Gentle cooking by circulating hot air, low-fat and vitamin-preserving
- Many different uses for baking, roasting, grilling, steaming, braising, defrosting, heating, barbecuing (easy to use)
- Halogen heating element for faster heating
- Saves time and energy: requires up to 45 % less energy than a conventional oven
- Ideal for small kitchens and mobile use
- Continuously adjustable thermostat from 0–200 °C
- 12 litre interior
- Glass bowl: Ø 33 cm
- Container made of safety glass – heat and scratch-resistant (dishwasher-safe)
- 60 minute timer with alarm when cooking is completed
- Indicator lights for operation and temperature
- Safety switch, practical safety handle
- Heat-insulated carrying handles
- Accessories: upper and lower grid, steamer insert, tongs, skewers, lid holder
- 220–240 V, 50/60 Hz, 1200–1400 W
- W x H x D approx. 380 x 335 x 355 mm



Lower/upper grid



Steamer insert



## Pizza maker PM 3622

- 1800 Watt
- Continuously adjustable thermostat
- Short cooking times
- Non-stick baking plates
- Large, heat-insulated handle
- 2 indicator lights for power supply and heating
- Temperature "ready" display
- Large baking surface: approx. Ø 28 cm
- Cord storage
- On/Off switch
- 220–240 V, 50/60 Hz, 1800 W
- W x H x D approx. 315 x 160 x 375 mm



**3in1**

**Doner, chicken  
and shashlik grill**



78

**NEW!** Doner vertical multigrill  
DVG 3686



- Vertical Kebab Multigrill for fat-free grilling of chickens, kebab/gyros or meat skewers
  - Thanks to its vertical position, escaping jus drips directly into the stainless steel fat tray
  - Incl. 1 rotary spit (large) for chickens or kebab/gyros
  - Incl. 6 separately rotating meat skewers (small)
  - Incl. stainless steel tong
  - On/off switch
  - Indicator light
- 
- 220–240 V, 50/60 Hz, 1400 W
  - W x H x D approx. 255 x 350 x 255 mm



1 rotary spit (large) for chickens or kebab/gyros



6 separately rotating meat skewers (small)



**Art. no. 263 831**  
**EAN 4 006 160 638 318**

**PU 2**







**Mini oven**  
MB 3463

- 8 litre capacity
- Top and bottom heat
- 15 minute timer
- 2 quartz heating elements
- Pull-out grill grid
- Baking tray
- Drawer for crumbs
- Overheating protection
- 220–240 V, 50/60 Hz, 800 W
- W x H x D approx. 365 x 220 x 250 mm



**Multi pizza oven**  
MPO 3520

- Pizza oven ideal for grilling and crisping up
- Large grill, ideal for pizza (26 x 25 cm)
- Including baking tray (23.5 x 22 cm)
- Capacity: approx. 12 litre
- Top and bottom heat (combined operation possible)
- 4-step switch (top heat, bottom heat, top and bottom heat combined, off)
- 2 quartz heating elements
- 60 minute timer with end signal
- Stainless steel handle
- Crumb tray
- Overheating protection
- 220–240 V, 50/60 Hz, 1000 W
- W x H x D approx. 375 x 220 x 330 mm



Incl. baking tray (23.5 x 22 cm)




80

**NEW!** Multi oven  
MBG 3684

- 28 litre capacity
- Stainless steel handle
- Circulating air
- Revolving spit
- 60 minute timer with end signal
- 6 level switch
  - Top and bottom heat
  - Top heat
  - Bottom heat
  - Top and bottom heat + circulating air
  - Top heat + circulating air + revolving spit
  - Off
- Continuously adjustable thermostat (100°C–230 °C)
- Indicator light
- Oven door with large viewing window (double glazed)
- Includes grill grid, baking tray, cumb drawer, revolving spit, incl. tongs for removing the grill grid, tool for removing the revolving spit
- 220–240 V, 50/60 Hz, 1500 W
- W x H x D approx. 515 x 300 x 395 mm




Incl. revolving spit



**NEW!** Mini kitchen  
KK 3679

- 2 hotplates:
  - 1x Ø 18.5 cm, 1000 watt
  - 1x Ø 15.5 cm, 600 watt
- 28 litre capacity
- Combined operation (baking and cooking at the same time)
- Top and bottom heat (800/700 watt)
- Possible baking/grilling alternatives:
  - top and bottom heat
  - bottom heat
  - top heat
- Continuously adjustable thermostat up to 230 °C
- Stainless steel panel
- Stainless steel handle
- 2x indicator lights
- 5-stage door lock
- Oven door with viewing window
- Incl. grill grating, baking sheet and crumbs drawer, as well as hookable handle for pulling out the sheet/grating
- Power supply:
  - 700 watt oven (bottom heat), 800 watt oven (top heat),
  - 600 watt hotplate (small), 1000 watt hotplate (large)
  - 3100 watt (total power consumption)
- 220–240 V, 50 Hz, 3100 W
- W x H x D approx. 515 x 405 x 330 mm



**2in1**  **ELECTRONIC**

## Microwave MW 785

- 700 watt microwave
- 20 litre oven capacity
- 6 level
- Rotating plate, Ø approx. 24.5 cm
- 30 minute timer with end signal
- Oven light
- Large viewing window
- 230–240 V, 50 Hz, 1200 W
- WxHxD approx. 455 x 265 x 340 mm

●	<b>Art. no. 253 139</b>	
●	<b>EAN 4 006 160 531 398</b>	<b>PU 1</b>
●	<b>Art. no. 253 717</b>	
●	<b>EAN 4 006 160 637 175</b>	<b>PU 1</b>
●	<b>Art. no. 253 140</b>	
●	<b>EAN 4 006 160 531 404</b>	<b>PU 1</b>

## **2in1** Microwave with grill MWG 786

### Features such as 785 MW + Grill

- 900 watt grill
- 5 microwave power level
- 3 level in combined operation grill/microwave
- 1 grill level
- Cooking grid: Ø approx. 20.0 cm
- 230–240 V, 50 Hz, 1200 W
- WxHxD approx. 455 x 265 x 340 mm

●	<b>Art. no. 253 141</b>	
●	<b>EAN 4 006 160 531 411</b>	<b>PU 1</b>
●	<b>Art. no. 253 145</b>	
●	<b>EAN 4 006 160 531 459</b>	<b>PU 1</b>
●	<b>Art. no. 253 146</b>	
●	<b>EAN 4 006 160 531 466</b>	<b>PU 1</b>



## **NEW!** Retro microwave with grill MWG 790

- 700 watt microwave
- 1000 watt grill
- 20 litre capacity
- 5 microwave power level
- 2 level in combined operation grill/microwave
- 1 grill level
- 9 automatic programs incl. defrost program
- Quick start program
- Timer function with up to 24 h time delay
- Rotating plate: Ø approx. 25.5 cm
- Grilling grid: Ø approx. 20.0 cm
- 95 minute timer with end signal
- Quartz heating element
- Easy Tronic
- Digital clock
- Child lock
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1050 W
- WxHxD approx. 440 x 260 x 370 mm

●	<b>Art. no. 253 148</b>	
●	<b>EAN 4 006 160 531 480</b>	<b>PU 1</b>
●	<b>Art. no. 253 149</b>	
●	<b>EAN 4 006 160 531 497</b>	<b>PU 1</b>






**2in1**

**ELECTRONIC**

**3in1**
**Convection**

### Microwave with grill MWG 787

- 700 watt microwave
- 900 watt grill
- 20 litre capacity
- 6 microwave power level
- 2 level in combined operation grill/microwave
- 1 grill level
- 9 automatic programs incl. defrost program
- Quick start program
- Rotating plate: Ø approx. 24.5 cm
- Grilling grid: Ø approx. 21.0 cm
- 60 minute timer with end signal
- Easy Tronic
- Digital clock
- Child lock
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1200 W
- W x H x D approx. 455 x 265 x 335 mm

### Microwave with grill and convection MWG 788 H

- Stainless steel front
- 800 watt microwave power
- 1350 watt grill
- 1350 watt convection
- Quick start program
- 20 litre capacity
- 11 microwave power level
- 2 level in combined operation (grill/microwave)
- 4 level in combined operation (convection/microwave)
- 1 grill level
- 10 temperature settings for convection
- 9 automatic programs incl. defrost program
- Rotating plate: Ø approx. 24.5 cm
- Grilling grid: Ø approx. 20.0 cm
- 95 minute timer with end signal
- Quartz heating elements
- Digital clock
- Child lock
- Oven light
- 230–240 V, 50 Hz, 1200 W
- W x H x D approx. 455 x 262 x 375 mm



Art. no. 253 143  
EAN 4 006 160 531 435

PU 1



Art. no. 253 144  
EAN 4 006 160 531 442

PU 1





**4in1**

Convection

Pizza function

### Microwave with grill and convection MWG 789 H

- 800 watt microwave power
- 1200 watt grill
- 1200 watt convection
- 23 litre capacity
- 5 microwave power level
- 4 level in combined operation (grill/microwave)
- 1 grill level
- 10 temperature settings for convection
- 10 automatic programs
- Defrost program
- Quick-start program
- Incl. pizza program and pizza plate, Ø approx. 28.0 cm
- Rotating plate, Ø approx. 27.0 cm
- Grilling grid, Ø approx. 21.0 cm
- 95 minute timer with end signal
- Quartz heating elements
- Digital clock
- Child lock
- Oven light
- 230 V, 50 Hz, 1300 W
- W x H x D approx. 490 x 295 x 410 mm



Pizza function incl. pizza plate

Pizza plate with active, heat-storing special coating for extra crispy and crunchy pizza crusts.

The pizza plate is preheated via the microwave function and then baking of the pizza is completed in combination operation.

Ideal for deep-frozen pizza and freshly prepared pizza crusts.

**3in1**

Convection



Stainless steel

### Microwave with grill and convection MWG 775 H

- Stainless steel housing
- Reflecting glass front
- 800 watt microwave
- 1200 watt grill
- 1200 watt convection
- 23 litre capacity
- 5 microwave power level
- 2 level in combined operation (microwave/grill)
- 10 level in combined operation (microwave/convection)
- 1 grill level
- 10 temperature settings for convection
- 10 automatic programs
- 2 defrost programs
- Rotating plate, Ø approx. 27.0 cm
- Grilling grid, Ø approx. 21.0 cm
- 95 minute timer with end signal
- Quartz heating elements
- Digital clock
- Child lock
- Oven light
- 230 V, 50 Hz, 1300 W
- W x H x D approx. 485 x 295 x 405 mm

PREIS-/LEISTUNGSSIEGER	
ETM TESTMAGAZIN • URTEIL	
Clatronic MWG 779H	
GUT	87,0 %
Im Test: 11 Kombi-Mikrowellen Testurteile: 2× sehr gut, 8× gut, 1× befriedigend <a href="http://www.etm-testmagazin.de">www.etm-testmagazin.de</a>	
Heft 04/2016	


**4in1**
**Convection**


**Stainless steel**

**Stand-alone/  
Under-cabinet mounting**

84

### Double-grill microwave MWG 779 H

- Stainless steel housing
- Stainless steel interior
- Double grill for, for example, crispy pizza, baguettes, soufflés, etc. (1100 watt top heat, 500 watt lower heat)
- 900 watt microwave
- 1600 watt double grill
- 2500 watt convection
- Quartz top heating element
- 25 litre capacity
- 5 microwave power level
- 10 temperature settings convection
- 10 automatic programs
- Defrost program
- Quick-start program
- Incl. pizza program and pizza stone, Ø approx. 30.0 cm
- Incl. enameled rotating plate, dishwasher-safe and scratchproof, Ø approx. 30.0 cm
- Grilling grid, Ø approx. 25.0 cm
- 95 minute timer with end signal
- Start delay
- Digital clock
- Child lock
- Oven light
- 230 V, 50 Hz, 1450 W
- W x H x D approx. 510 x 300 x 430 mm



Pizza function incl. pizza stone

### Combined microwave oven with grill MWG 777 U

- 800 watt microwave
- 1000 watt grill
- 20 litre capacity
- 5 microwave power level
- 3 level in combined operation
- 1 grill level
- Rotating plate, Ø approx. 24.5 cm
- Grilling grid, Ø approx. 21.0 cm
- 30 minute timer with end signal
- Oven light
- Large viewing window
- Can be positioned as required or used as a built-under appliance (Incl. installation material)
- 230 V, 50 Hz, 1250 W
- W x H x D approx. 461 x 365 x 280 mm



Built-under appliance

Art. no. 253 131  
EAN 4 006 160 531 312

PU 1



Art. no. 253 129  
EAN 4 006 160 531 299

PU 1







**Stand-alone/  
Under-cabinet mounting**

### Combined microwave oven with grill MWG 778 U

- Stainless steel front
- 800 watt microwave
- 1000 watt grill
- 20 litre capacity
- 5 microwave power level
- 2 level in combined operation
- 1 grill level
- 8 automatic programs
- Defrost programs, selectable according to time and weight
- Quick-start program
- Rotating plate, Ø approx. 24.5 cm
- Grilling grid, Ø approx. 21.0 cm
- 95 minute timer with end signal
- Easy Tronic, digital clock, child lock
- Oven light
- Large viewing window
- Can be positioned as required or used as a built-under appliance (incl. installation material)
- 230 V, 50 Hz, 1250 W
- W x H x D approx. 460 x 285 x 370 mm




Built-under appliance



### Built-in microwave with grill MWG 2215 EB

- Built-in microwave with frame
- Stainless steel front, stainless steel interior
- 800 watt microwave
- 1000 watt grill
- 5 microwave power level
- 2 level in combined operation (grill/microwave)
- 1 grill level
- 8 automatic programs
- Defrost programs, selectable according to time and weight
- 20 litre capacity
- Rotating plate, Ø approx. 24.5 cm, grilling grid, Ø approx. 21 cm
- 95 minute timer with end signal
- Start delay
- Child lock
- Oven light



- 230 V, 50 Hz, 1250 W
- Appliance (W x H x D): 465 x 359 x 339 mm
- Appliance with frame (W x H x D): 596 x 384 x 339 mm
- Weight: approx. 14 kg




**Built-in microwave with grill and convection**  
MWG 2216 H EB




**NEW! Built-in microwave with grill and convection** MWG 3001 H EB

- Built-in microwave with frame
- Stainless steel front, stainless steel interior
- 900 watt microwave
- 1100 watt grill
- 2500 watt convection function
- 5 microwave power level
- 2 level in combined operation (grill/microwave)
- 2 level in combined operation (convection/microwave)
- 1 grill level
- 10 temperature settings for convection (130°C–220°C)
- 10 automatic programs
- 2 defrost program, 1 quick-start program
- 25 litre capacity
- Rotating plate, Ø approx. 32.0 cm, grilling grid, Ø approx. 26.0 cm
- 95 minute timer with end signal
- Start delay
- Child lock
- Oven light



- 230 V, 50 Hz, 1450 W
- Appliance (W x H x D): 520 x 362 x 470 mm
- Appliance with frame (W x H x D): 595 x 460 x 470 mm
- Weight: approx. 21 kg

- Built-in microwave in frameless design
- Stainless steel front, stainless steel interior
- LCD display / Digital clock
- 900 watt microwave
- 1000 watt grill
- 2300 watt convection function
- 5 microwave power level
- 2 level in combined operation (grill/microwave)
- 2 level in combined operation (convection/microwave)
- 1 grill level
- 5 temperature settings for convection (100°C–200°C)
- 8 automatic programs
- Defrost program, quick-start program
- 25 litre capacity
- Timer function with up to 24 h time delay
- Rotating plate, Ø approx. 27.0 cm, grilling grid, Ø approx. 22.2 cm
- 60 minute timer with end signal
- Child lock
- Oven light



- 230 V, 50 Hz, 200 W
- Appliance (W x H x D): 595 x 390 x 351 mm
- Weight: approx. 17 kg



**2in1**

## Preserving boiler EKA 3338

- 1800 watt
- 25 litre tank capacity for up to 14 jars
- Enameled housing, scratch-resistant
- Closed pot bottom, concealed stainless steel heating element
- Variable temperatur control (30–100°C)
- Indicator light
- Integrated drain tap for practical filling of mulled wine, punch or other hot drinks, for example
- Hard-wearing enamel, tasteless
- Grid insert
- Plastic handles, heat-insulated
- Overheating protection
- 230 V, 50 Hz, 1800 W
- WxHxD approx. 455 x 495 x 435 mm



## Single hotplate EKP 3582

- Hotplate, Ø approx. 180 mm, 1500 watt
- Infinitely adjustable thermostat
- Indicator light
- Heat-resistant finish
- High stability
- 230 V, 50 Hz, 1500 W
- WxHxD approx. 360 x 70 x 285 mm





Stainless steel

88

### Double hotplate DKP 3583

- 2 hotplates
  - 1 x Ø approx. 180 mm, 1500 watt
  - 1 x Ø approx. 150 mm, 1000 watt
- 2 continuously variable thermostats
- 2 indicator lights
- Heat-resistant finish
- High stability
- 230 V, 50 Hz, 2500 W
- W x H x D approx. 570 x 70 x 285 mm

### Stainless steel double hotplate DKP 3668 E

- Stainless steel housing
- 2 hotplates
  - 1 x Ø approx. 180 mm, 1500 watt
  - 1 x Ø approx. 150 mm, 1000 watt
- 2 continuously variable thermostats
- 2 indicator lights
- Incl. 2 mountable cool touch handles
- High stability
- 230 V, 50 Hz, 2500 W
- W x H x D approx. 590 x 70 x 280 mm (with handles)



Art. no. 271 699  
EAN 4 006 160 716 993

PU 3



Art. no. 271 722  
EAN 4 006 160 717 228

PU 3





### Single induction hotplate EKI 3569

- Induction hotplate with high-quality, eco- friendly glass-ceramic-surface
- Heating only takes seconds thanks to induction technology
- Scratch-resistant smooth cooking area (very easy to clean)
- ECO-Save – 55% time savings compared to conventional cooking plates, no preheating phase, energy saving
- Automatic pot detection – automatic switch-off in the case of non-induction pots
- 10 power level and 10 temperature level with LED indication (60 °C–240 °C)
- Electronic sensor touch control panel with display for comfortable operation
- 3 LED indicator lights
- 180 minute timer with automatic switch-off and end signal
- Countdown indication
- Automatic switch-off after 120 min. without operation
- Automatic switch-off after removal of the pot
- Child lock
- High stability due to non-slip feet
- 220–240 V, 50/60 Hz, 2000 W
- W x H x D approx. 290 x 65 x 370 mm

### Double induction hotplate DKI 3609

- Induction double hotplate with high-quality, eco-friendly glass-ceramic-surface
- Heating only takes seconds thanks to induction technology
- Scratch-resistant smooth cooking area (very easy to clean)
- ECO-Save – 55% time savings compared to conventional cooking plates, no preheating phase, energy saving
- Automatic pot detection – automatic switch-off in the case of non-induction pots
- LED display
- Each hob with 16 function level – 6 power level and 10 temperature level (60 °C–240 °C)
- Electronic Sensor Touch control panel with display for comfortable operation
- 2x 3 LED indicator lights
- 180 minute timer with automatic switch-off and end signal
- Countdown indication on the LED display
- Automatic switch-off after 120 min. without operation
- Automatic switch-off after removal of the pot
- High stability due to non-slip feet
- 220–240 V, 50/60 Hz, 3500 W max.
- W x H x D approx. 610 x 75 x 365 mm



2in1



**NEW!** Steam brush  
DB 3675

- 2 in 1 – Vertical and horizontal steam ironing possible
- Steam brush for steam ironing, removes wrinkles and lint
- Textile brush attachment: gentle and efficient method of removing wrinkles from fabrics
- Fluffs attachment: for removing wrinkles and fluffs
- The gentle steam effect extends the lifespan of your clothes
- Saves time over traditional ironing
- Also suitable for sensitive materials
- Quick warm-up time through powerful heating element – ready to use in approx. 45 seconds
- Water tank with 260 ml capacity allows steam ironing up to 5–6 garments in one pass
- Use for up to 20 min. on a full tank
- Constant steam output: approx. 20 g/min.
- Ergonomically shaped handle
- 7 steam nozzles for quick and gentle smoothing of textiles
- Stainless steel inlay
- Vertical steam ironing for hanging clothes, curtains etc.
- Extra large operation range by 1.8 m long connection cable
- On/off switch
- Indicator light
- Overheating protection
- Accessories: textile brush attachment, fluffs attachment
- 220–240 V, 50/60 Hz, 1000 W
- W x H x D approx. 125 x 255 x 120 mm



Vertical steam ironing for hanging clothes



Textile brush attachment: gentle and efficient method of removing wrinkles from fabrics



Fluffs attachment: for removing wrinkles and fluffs



2in1

Travelling steam iron/  
steam brush DB 3108 B

- Variable temperature control, suitable for all types of fabric
- Open turning handle
- Indicator light
- Non-stick-coated sole plate
- Combined attachment: fluff removal and brushes
- Vertical steam function for smoothing hanging textiles
- Transparent water container (approx. 30 ml)
- 230 V, 50 Hz, 800 W
- W x H x D approx. 185 x 226 x 128 mm



Art. no. 263 812  
EAN 4 006 160 638 127

PU 4



Art. no. 263 531  
EAN 4 006 160 635 317

PU 12







### Steam iron DB 3578

- Special stainless steel sole plate
  - Steam jet function, spray device and vertical steam
  - Variable temperature control
  - Continuous steam regulation
  - Dry function (steam can be switched off)
  - Practical self-cleaning function
  - Transparent water container (approx. 135 ml)
  - Cable attached via 360° turnable joint
  - Indicator light
- 220–240 V, 50/60 Hz, 1700 W  
■ WxHxD approx. 110 x 140 x 260 mm

### Steam iron DB 3105

- Special stainless steel sole plate
  - Steam jet function, spray device and vertical steam
  - Variable temperature control
  - 3-level steam control
  - Dry function (steam can be switched off)
  - Practical self-cleaning function
  - Transparent water container (approx. 130 ml)
  - Cable attached via 360° turnable joint
  - Indicator light
- 230 V, 50 Hz, 2000 W  
■ WxHxD approx. 115 x 155 x 275 mm

### Steam iron DB 3475

- Special stainless steel sole plate
  - Steam jet function, spray device and vertical steam
  - Variable temperature control
  - Continuous steam regulation
  - Dry function (steam can be switched off)
  - Practical self-cleaning function
  - Transparent water container (approx. 200 ml)
  - Cable attached via 360° turnable joint
  - Indicator light
- 220–240 V, 50/60 Hz, 2200 W  
■ WxHxD approx. 110 x 150 x 275 mm



### Ceramic

#### Steam iron DB 3512

- Special stainless steel sole plate
- 7 functions:
  - Spray device
  - Steam jet function
  - Vertical steam
  - Dry function (steam can be switched off)
  - Self-cleaning function (switchable)
  - Anti-drip function
  - Anti-calc system
- Variable temperature control
- Continuous steam regulation
- Transparent water container (approx. 360 ml)
- Cable attached via 360° turnable joint
- Indicator light
- 220–240 V, 50/60 Hz, 2500 W
- W x H x D approx. 115 x 150 x 290 mm

#### Steam iron DB 3485

- Scratch-resistant ceramic sole plate with outstanding sliding behaviour
- 5 functions:
  - Spray device
  - Steam jet function
  - Vertical steam
  - Dry function (steam can be switched off)
  - Self-cleaning function (switchable)
- Variable temperature control
- Continuous steam regulation
- Transparent water container (approx. 250 ml)
- Cable attached via 360° turnable joint
- Indicator light
- Measuring cup
- 220–240 V, 50/60 Hz, 1800–2200 W
- W x H x D approx. 118 x 134 x 280 mm



Easy-running, scratch-resistant ceramic sole plate



Ceramic

### Steam iron DB 3329

- Scratch-resistant ceramic sole plate with outstanding sliding behaviour
- Steam jet function, spray device and vertical steam
- Variable temperature control
- Continuous steam regulation
- Dry function (steam can be switched off)
- Anti-calc filter system
- Anti-drip function
- Self-cleaning function (switchable)
- Transparent water container (approx. 320 ml)
- Rubberized handle for non-slip handling
- Rubberized rest for excellent stability
- Cable attached via 360° turnable joint
- Indicator light
- 220–240 V, 50/60 Hz, 2500 W
- W x H x D approx. 125 x 155 x 310 mm



Ceramic

### Steam iron DB 3486

- Scratch-resistant ceramic sole plate with outstanding sliding behaviour
- 7 functions:
  - Spray device
  - Steam jet function
  - Vertical steam
  - Dry function (steam can be switched off)
  - Self-cleaning function (switchable)
  - Anti-drip function
  - Anti-calc filter system
- Variable temperature control
- 4-level steam control (0-1-2-3)
- Transparent water container (approx. 360 ml)
- Rubberized handle for non-slip handling
- Rubberized rest for excellent stability
- Cable attached via 360° turnable joint
- Indicator light
- 220–240 V, 50/60 Hz, 2400–2800 W
- W x H x D approx. 120 x 160 x 300 mm

93



Easy-running, scratch-resistant  
ceramic sole plate



**NEW!** Steam ironing unit  
DBS 3676

- Special stainless steel sole plate
  - Constantly high heat resistance and optimal steam generation
  - Continuous steam regulation approx. 10–50 g
  - Even and consistent heat distribution through 13 spray nozzles
  - Horizontal and vertical steam jet function
  - Constant high steam output: max. 50 g/min.
  - Removable water tank (1.0 litre capacity), in case of average operation sufficient for approx. 80 minutes
  - Permanent refill function – refilling of the water tank during the operation possible
  - On/off switch (illuminated)
  - 3 indicator lights for:
    - Water refill
    - Steam ready
    - Heating
  - Continuously adjustable temperature control
  - Extra large rest plate to provide the iron with a stable rest
  - Long connection cable
  - Cable take-up
- 
- 230 V, 50Hz, 2000 W
  - W x H x D approx. 230 x 320 x 420 mm



Removable water tank  
(1.0 litre capacity)







Ceramic

**NEW!** Steam ironing unit  
DBS 3677

95

- Scratch-resistant ceramic sole plate with outstanding sliding behaviour
  - Constantly high heat resistance and optimal steam generation
  - Continuous steam regulation approx. 10–60 g
  - Even and consistent heat distribution through 13 spray nozzles
  - Horizontal and vertical steam jet function
  - Constant high steam output: max. 60 g/min.
  - Removable water tank (1.0 litre capacity), in case of average operation sufficient for approx. 80 minutes
  - Permanent refill function – refilling of the water tank during the operation possible
  - On/off switch (illuminated)
  - 3 indicator lights for:
    - Water refill
    - Steam ready
    - Heating
  - Continuously adjustable temperature control
  - Extra large rest plate to provide the iron with a stable rest
  - Long connection cable
  - Cable take-up
- 
- 230 V, 50Hz, 2000 W
  - W x H x D approx. 230 x 320 x 420 mm



Removable water tank  
(1.0 litre capacity)



Scratch resistant  
ceramic sole plate with  
outstanding sliding  
behaviour



Art. no. 263 814  
EAN 4 006 160 638 141

PU 2





Detachable 1.2 litre capacity water tank




Vertical steam ironing for hanging clothes



Gentle and effective method for removing creases from fabrics

## Fabric steamer TDC 3432

- Steamer for steam ironing, removes wrinkles and lint
- Gentle and effective method for removing creases from fabrics
- The gentle steam effect extends the lifespan of your clothes
- Saves time over traditional ironing
- Also suitable for sensitive materials
- Vertical steam function
- Quick warm-up time through 1500 watt of power – ready to use in around 50 seconds
- Detachable 1.2 litre capacity water tank
- Use for up to 40 mins on a full tank
- Steplessly height-adjustable telescopic pole (to 1.35 m) for individual adjustment to body height and for easy storage
- Constant steam output: around 30 g/min.
- Vertical steam ironing for hanging clothes, curtains etc.
- Anti-drip system
- Easy to transport – through 2 large rollers and 2 360° casters
- Accessories: Trousers and clothes hanger, brush head, fabric brush attachment for removing wrinkles and bobbles
- On/off switch (illuminated)
- Overheating protection
- Fire protection fuse
- Cable length approx. 1.80 m
- 230 V, 50 Hz, 1500 W
- BxHxT ca. 340 x 1640 x 230 mm



Art. no. 263 561  
EAN 4 006 160 635 614

PU 1





## Steam cleaner DR 3653

- Steam cleaner, cleans, disinfects and degreases without limescale residues and cleaning strip
- 3.5 bar max. steam pressure
- Approx. 250 ml water tank
- Extra-long cable (approx. 5.0 m)
- Overpressure protection
- Overheating protection
- Incl. 9 accessories: brush, angle, fleece, window cleaner and universal cleaning attachment, 360° swiveling steam nozzle, hose, measuring cup, funnel
- 220–240 V, 50/60 Hz, 900–1050 W
- W x H x D approx. 250 x 225 x 135 mm

## Steam cleaner DR 3535


- Steam cleaner, cleans, disinfects and degreases without limescale residues and cleaning strip
- 3.5 bar max. steam pressure
- Approx. 300 ml water tank
- Extra-long cable (approx. 5 m)
- Overpressure protection
- Overheating protection
- Includes 9 accessories: 2x brush, nozzle, angle, fleece and windowcleaning attachments, hose, measuring beaker
- 220–240 V, 50/60 Hz, 1000 W
- W x H x D approx. 260 x 230 x 145 mm



Round brush attachment



Incl. 360° swiveling steam nozzle



Universal cleaning attachment



Angle attachment



Fleece




Measuring cup



2x round brush attachment



Jet nozzle attachment



Universal cleaning attachment



Angle attachment



Fleece



Measuring cup



**Steam cleaner**  
DR 3536

- Steam cleaner, cleans, disinfects and degreases without limescale residues and cleaning strip
- 3.5 bar max. steam pressure
- Approx. 600 ml water tank
- Aluminum boiler
- Indicator light (mains and standby)
- Safety tank lid with pressure relief valve
- Overheating protection
- On/off switch protected against water spray
- Practical carrying handle
- Smooth-running wheels
- Steam control on the handle
- Incl. 9 accessories: 2-part extendable insertable tube, floor brush, non-woven cloth, window wiper, jet nozzle attachments, round brush attachment, funnel, measuring beaker

- 230 V, 50/60 Hz, 1350 W
- W x H x D approx. 230 x 310 x 320 mm



Extendable insertable tube



Floor brush



Round brush attachment



Window wiper



Angle attachment



**Steam cleaner**  
DR 3280

- Steam cleaner, cleans, disinfects and degreases without limescale residues and cleaning strip
- 4 bar steam pressure
- Approx. 1.5 litre water tank
- Stainless steel boiler
- Indicator lights (mains and standby)
- Safety tank lid with pressure relief valve
- Overheating protection
- On/off switch protected against water spray
- Practical open carrying handle
- Smooth-running wheels
- Steam control on the handle
- Additional locking button for continuous operation
- Incl. 10 accessories: 2-part extendable insertable tube, floor brush with cloth holder, non-woven cloth, window wiper, 2 jet nozzle attachments, 2 round brush attachments of different sizes, funnel, measuring beaker
- Integrated accessory compartment

- 220–240 V, 50/60 Hz, 1500 W
- W x H x D approx. 670 x 260 x 285 mm



Art. no. 283 034  
EAN 4 006 160 830 347

PU 1



Art. no. 283 013  
EAN 4 006 160 830 132

PU 1







Fleece attachment for thorough cleaning



Window-cleaning attachment, cleans without streaks and limescale residue



Accessories: 2x microfiber cloth, measuring beaker, window cleaner, nozzle, brush, carpet glider attachment



Space-saving storage by easy separation of the components

## Steam mop DR 3539

99



- Steam cleaner cleans, disinfects and removes grease at 100°C without grease marks and residues
  - Suitable for different surfaces: e.g. laminates, wooden floors, marble, rubber, slate, ceramics
  - Cleans fabric surfaces such as carpets, mats and cushions
  - Environmentally friendly and hygienic cleaning without the use of chemicals
  - Kills bacteria through high steam power
  - Maximum disinfection and intensive cleaning
  - Ready to use in around 30 seconds
  - Approx. 300 ml water tank
  - Use for up to 30 min. on a full tank
  - Up to 25 g steam/min.
  - Carpet glider attachment
  - Aluminium telescopic tube
  - Removable handle and nozzle for easy use by hand
  - Accessories: 2x microfiber cloth, measuring beaker, window cleaner, nozzle, brush
  - Long lead, approx. 5.0 m
  - Electric lead take-up
  - Fire protection fuse
- 
- 220–240 V, 50/60 Hz, 1500 W
  - W x H x D approx. 260 x 1200 x 210 mm





100

### Battery vacuum cleaner AKS 827

- With 3 rechargeable Ni-Mh batteries
- Nozzle for small gaps, brush nozzle
- Permanent dust filter, washable
- Charge indicator light (LED)
- Charger mains adapter
- Foot/wall mounting (installation materials not supplied)
- Charger mains adapter: 230 V, 50 Hz
- Rechargeable battery: 3.6 V, 1400 mAh
- W x H x D approx. 100 x 130 x 310 mm



### Battery wet/dry vacuum cleaner AKS 828

- Wet/dry vacuum cleaner
- Powerful battery vacuum cleaner with three rechargeable batteries
- Permanent dust filter, washable
- Charge indicator light (LED)
- Charger mains adapter
- Accessories: Recess nozzle, attachment for wet vacuuming, wall mounting
- Charger mains adapter: 230 V, 50 Hz
- Rechargeable battery: 3.6 V, 1400 mAh
- W x H x D approx. 110 x 130 x 380 mm



### Battery vacuum cleaner AKS 832

- Wet/dry vacuum cleaner
- Powerful battery vacuum cleaner with 10 rechargeable batteries
- Permanent dust filter (washable)
- Charge control lamp (LED)
- 12 V and battery operation possible
- Direct-Drive function: with fully discharged battery, the vacuum cleaner can be used immediately in 12 V operation
- Cable storage compartment
- Accessories: 2x crevice nozzle (1x 13 cm, 1x 26 cm), attachment for wet vacuuming, brush nozzle, 12 V adapter cable
- Charger mains adapter: 230 V, 50 Hz
- Rechargeable battery: 12 V / Battery (NiMh), 1400 mAh
- W x H x D approx. 125 x 130 x 400 mm




Attachment for wet vacuuming



360° brush nozzle



Extra-long crevice nozzles, for example, for use in the car



Art. no. 281 044  
EAN 4 006 160 810 448

PU 6



Art. no. 281 052  
EAN 4 006 160 810 523

PU 6



Art. no. 281 055  
EAN 4 006 160 810 554

PU 4





## Hand vacuum cleaner HS 2631

- Hand vacuum cleaner for vacuuming of: furniture, upholstery, frames, curtains, books, computers, cars, and much more
- Compact size: 24 x 12 x 15 cm
- Permanent dust filter
- Easy to clean
- Large operation range (6 m cable)
- Low weight
- Vertical storage (space saving)
- Accessories: flexible „vacuum snout“ with crevice nozzle, small and large brush, shoulder strap
- 230 V, 50 Hz, 700 W max.
- W x H x D approx. 110 x 185 x 360 mm



Incl. battery vacuum cleaner



Charging station suitable for wall mounting



Space-saving folding handle



## Battery floor vacuum cleaner BS 1305 A



- Akku-hand and floor vacuum cleaner, for flexible and individual operations as brush-/hand vacuum cleaner
- Permanent dust filter (washable)
- Powerful 12 V, 1800 mAh Accus
- LED charge level indicator (illuminated)
- 12 V and battery operation possible
- Cable free (for flexible use)
- 180° rotatable double joint for optimal mobility
- Bagless filter technology
- Incl. telescopic crevice nozzle and electrical, rotating turbo floor brush
- Charging station suitable for wall mounting (incl. mounting material)
- Space-saving folding handle
- Charger mains adapter: 100–240 V, 50/60 Hz
- Rechargeable battery: 12 V, 1800 mAh
- W x H x D approx. 130 x 1120 x 270 mm (extended)



180° rotatable double joint for optimal mobility



Electrical, rotating turbo floor brush



Charging station / wall mount  
(incl. mounting material)



2-fold accessories:  
combined brush/crevice nozzle



Incl. flexible brush for corners and  
edges

**2in1**

**Powerful Lithium-ion battery**  
21.6 V / 2200 mAh



102


**NEW!**

## Battery floor vacuum cleaner BS 1307 A

- Accu-hand and floor vacuum cleaner, for flexible and individual operations as brush-/hand vacuum cleaner
  - Bagless Cyclon Twin Spin technique allows continual high suction power
  - Bagless filter technology
  - Powerful lithium-ion battery 21,6 V, 2200 mAh accu
  - Running time approx. 30 min
  - 2 suction levels (turbo function electrically switchable)
  - LED battery charge condition indicator (illuminated)
  - Cable free (for flexible use)
  - HEPA filter (High efficiency particulate air filter)
  - Aluminium suction tube
  - Easy to clean
  - Low weight
  - Charging station/wall mount (incl. mounting material)
  - Incl. electrically rotating turbo floor brush with LED front light for better illumination of dark areas
  - Incl. flexible brush for corners and edges
  - Accessories: aluminium suction tube, charging station/wall mount, special brush, combined brush/crevice nozzle
- Charger mains adapter: 230–240 V, 50 Hz
  - Rechargeable lithium-ion battery: 21,6 V, 2200 mAh
  - W x H x D approx. 200 x 1050 x 260 mm (with suction tube)



Incl. electrically rotating turbo floor  
brush



LED front light for better illumination  
of dark areas



Art. no. 263 794  
EAN 4 006 160 637 946

PU 1



Art. no. 263 795  
EAN 4 006 160 637 953

PU 1







Incl. brush tool



Incl. crevice tool



Incl. wall mount

**2in1**

**A+**




## Floor vacuum cleaner BS 1306 N

- 2 in 1 – Floor and hand vacuum cleaner
- Eco-Cyclon
- Also suitable as hand vacuum cleaner for vacuuming of: furniture, upholstery, frames, curtains, books, computers, cars and much more
- Multi filter system
- HEPA filter (High efficiency particulate air filter)
- Two part aluminium tube (35–75 cm)
- Big operating range (6.5 m connection cable)
- Switchable floor brush
- Easy to clean
- Low weight
- Incl. wall mount (space saving)
- Accessories: Two part aluminium tube, wall mount, brush tool, crevice tool, floor brush
- 220–240 V, 50/60 Hz, 600 W
- W x H x D approx. 230 x 1300 x 130 mm (with suction tube)



Incl. floor brush (switchable)



**A**

## Floor vacuum cleaner BS 1303


- Floor vacuum cleaner with energy-saving 700 watt
- 4-fold microfilter system
- Metal telescopic tube
- Switchable floor brush
- Dust bag change indicator
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- Dual accessory: combined brush/crevice nozzle
- 220–240 V, 50/60 Hz, 700 W
- W x H x D approx. 245 x 229 x 316 mm

### Spare bags:

SSB 101

Art. no. 282 047

EAN 4 006 160 820 478



Art. no. 263 779  
EAN 4 006 160 637 793  
Art. no. 263 778  
EAN 4 006 160 637 786

PU 2

PU 2



Art. no. 271 715  
EAN 4 006 160 717 150

PU 1





A

### Floor vacuum cleaner BS 1300 N


- Floor vacuum cleaner with energy-saving 700 watt
  - 5-layer micro-filter system
  - Stainless steel suction tube
  - Switchable floor brush
  - Dust bag change indicator
  - Practical carrying handle
  - Automatic cable rewind
  - Space-saving parking aid
  - 2-fold accessories: combined brush/crevice nozzle
- 220–240 V, 50/60 Hz, 700 W  
■ W x H x D approx. 256 x 205 x 310 mm

#### Spare bags:

SSB 98

Art. no. 282 193

EAN 4 006 160 821 932



A



ELECTRONIC

### Floor vacuum cleaner BS 1295


- Electronic power adjustment
  - 4-layer micro-filter system
  - HEPA filter (High efficiency particulate air filter)
  - Stainless steel suction tube (approx. 84 cm length)
  - Extra large operation range (approx. 8.30 m)
  - Switchable floor brush
  - Dust bag change indicator
  - Rubberized rollers (ideal for sensitive floors)
  - Practical carrying handle
  - Automatic cable rewind
  - Space-saving parking aid
  - Integrated accessory tray
  - 2-fold accessories: combined brush/crevice nozzle
- 220–240 V, 50/60 Hz, 800 W  
■ W x H x D approx. 255 x 205 x 370 mm

#### Spare bags:

SSB 101

Art. no. 282 193

EAN 4 006 160 820 932





A



ELECTRONIC



A



ELECTRONIC

## Floor vacuum cleaner BS 1296

- Floor vacuum cleaner with energy-saving 700 watt
- Electronic power adjustment
- 4-layer micro-filter system
- HEPA filter (High efficiency particulate air filter)
- Stainless steel suction tube (approx. 84 cm length)
- Extra large operation range (approx. 8.30 m)
- Switchable floor brush
- Dust bag change indicator
- Rubberized rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle


- 220–240 V, 50/60 Hz, 700 W
- W x H x D approx. 295 x 215 x 450 mm

### Spare bags:

SSB 101

Art. no. 282 047

EAN 4 006 160 820 478



## Floor vacuum cleaner BS 1301 N

- Floor vacuum cleaner with energy-saving 700 watt
- Electronic power adjustment
- 5-layer micro-filter system
- HEPA filter (High efficiency particulate air filter)
- Stainless steel suction tube (approx. 84 cm length)
- Extra large operation range (approx. 8.30 m)
- Switchable floor brush
- Incl. parquet brush
- Dust bag change indicator (electronic)
- Rubberized rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 3-fold accessories: crevice nozzle, upholstery nozzle, 360° brush attachment

- 220–240 V, 50/60 Hz, 700 W
- W x H x D approx. 291 x 246 x 457 mm

### Spare bags:


SSB 101

Art. no. 282 047

EAN 4 006 160 820 478



Incl. parquet brush








A



## Floor vacuum cleaner BS 1304

- Eco-Cyclon floor vacuum cleaner with energy-saving 700 Watt
- Bagless filter technology
- 4-fold microfilter system
- HEPA filter (High efficiency particulate air filter)
- Metal telescopic tube
- Switchable floor brush
- Rubberised rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- Dual accessory: combined brush/crevice nozzle
- 220–240 V, 50/60 Hz, 700 W
- W x H x D approx. 235 x 290 x 365 mm




A



## Floor vacuum cleaner BS 1304 P

Turbo brush for easy removal for  
example of animal hair and fluff  
– ideal for pet owners

- Eco-Cyclon floor vacuum cleaner with energy-saving 700 Watt
- Incl. turbo brush for easy removal for example of animal hair and fluff – ideal for pet owners
- Bagless filter technology
- 4-fold microfilter system
- HEPA filter (High efficiency particulate air filter)
- Metal telescopic tube
- Switchable floor brush
- Rubberised rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 3-fold accessories: turbo brush, combined brush/crevice nozzle
- 220–240 V, 50/60 Hz, 700 W
- W x H x D approx. 235 x 290 x 365 mm



- Art. no. 271 716  
EAN 4 006 160 717 167 PU 1
- Art. no. 271 718  
EAN 4 006 160 717 181 PU 1
- Art. no. 271 717  
EAN 4 006 160 717 174 PU 1



- Art. no. 271 727  
EAN 4 006 160 717 273 PU 1








**A**



**NEW!** Floor vacuum cleaner  
BS 1308

107

- Eco-Cyclon twin spin floor vacuum cleaner with energy-saving 700 Watt
  - Bagless filter technology
  - 4-fold microfilter system
  - HEPA filter (High efficiency particulate air filter)
  - Metal telescopic tube
  - Switchable floor brush
  - Practical carrying handle
  - Automatic cable rewind
  - Space-saving parking aid
  - Dual accessory: combined brush/crevice nozzle
- 220-240 V, 50/60 Hz, 700 W
  - W x H x D approx. 340 x 250 x 270 mm



- Art. no. 263 809  
EAN 4 006 160 638 097 PU 1
- Art. no. 263 821  
EAN 4 006 160 638 219 PU 1
- Art. no. 263 820  
EAN 4 006 160 638 202 PU 1






Turbo brush for easy removal for example of animal hair and fluff – ideal for pet owners

108

**NEW!** Floor vacuum cleaner  
BS 1308 P

- Eco-Cyclon twin spin floor vacuum cleaner with energy-saving 700 Watt
  - Incl. turbo brush for easy removal for example of animal hair and fluff – ideal for pet owners
  - Bagless filter technology
  - 4-fold microfilter system
  - HEPA filter (High efficiency particulate air filter)
  - Metal telescopic tube
  - Switchable floor brush
  - Practical carrying handle
  - Automatic cable rewind
  - Space-saving parking aid
  - 3-fold accessories: turbo brush, combined brush/crevice nozzle
- 220–240 V, 50/60 Hz, 700 W
  - W x H x D approx. 340 x 250 x 270 mm



Art. no. 263 822  
EAN 4 006 160 638 226

PU 1





A



ELECTRONIC

## Floor vacuum cleaner BS 1302 N


109

- Eco-Cyclon twin spin floor vacuum cleaner with energy-saving 700 Watt
- Bagless Cyclon Twin Spin technique allows continual high suction power
- Electronic power adjustment
- HEPA filter (High efficiency particulate air filter)
- 4-fold filter system
- Stainless steel telescopic tube (approx. 92 cm length)
- Extra-large operation range (approx. 8.30 m)
- Switchable floor brush
- Incl. parquet brush
- Rubberised rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- Dual accessory: combined brush/crevice nozzle

- 220-240 V, 50/60 Hz, 700 W
- W x H x D approx. 275 x 340 x 436 mm



Incl. parquet brush



- Art. no. 271 719  
EAN 4 006 160 717 198 PU 1
- Art. no. 271 720  
EAN 4 006 160 717 204 PU 1
- Art. no. 271 721  
EAN 4 006 160 717 211 PU 1





A



ELECTRONIC




2in1

Stainless steel

## Floor vacuum cleaner BS 1294

- Floor vacuum cleaner with energy-saving 700 Watt
- Electronic power adjustment
- 2x HEPA filter (High efficiency particulate air filter)
- Height-adjustable telescopic tube
- Switchable floor brush
- Bagless filtertechnology (no need to purchase dust bags)
- Easy-to-empty, transparent dust-collecting container replaces conventional dust bag
- Tank volume: 1.25 l
- Motor protection filter (washable)
- Rubberized rollers (ideal for parquet floors)
- Automatic cable rewind
- Space-saving parking aid
- 3-fold accessories: combined brush/crevice nozzle, upholstery nozzle

- 220–240 V, 50/60 Hz, 700 W
- W x H x D approx.  
365 x 265 x 285 mm



## Wet and dry vacuum cleaner BS 1285

- Stainless steel housing
- Large and comfortable wet and dry vacuum cleaner with powerful 1400 watt max.
- Tank capacity: approx. 20 litre
- Multi filter system
- Incl. blower function, e.g. for easy removal of leaves
- Draws coarse dirt as effectively as liquids
- Optimal stability through 4 rollers
- Deflection rollers (360°) allow smooth and flexible working
- 2-part robust suction tube
- Overflow protection by float valve
- Practical holder on the vacuum cleaner for quick access and tidied accessory
- 5 m cable allows large operation range
- Accessories: brush/crevice nozzle, wet/dry brush, washable permanent filter

- 220–240 V, 50/60 Hz, 1200–1400 W
- W x H x D approx. 340 x 500 x 340 mm



Also ideal for the use on laminate, carpets etc.



Accessories: brush nozzle and crevice nozzle



Art. no. 271 703  
EAN 4 006 160 717 037

PU 1



Art. no. 271 686  
EAN 4 006 160 716 863

PU 1





**4in1**

Dry vacuum cleaning  
Wet vacuum cleaning  
Shampoo function  
Blower function

Stainless steel tube



**NEW!** Shampoo cleaner  
BSS 1309

- Comfortable shampoo vacuum cleaner with powerful 1200 watts
- Cleans away larger dirt just as effectively as fluids
- Comes with separate removable tank for cleaning agent (4 litres)
- Spray extraction for even & large-scale spreading of the cleaning agent
- Perfect stability thanks to four pulleys
- 4 pulleys (360°) allow for easy and flexible cleaning
- 2-piece stainless steel cleaner pipe
- Big, sturdy carrying handle
- Dual filter system
- Practical bracket holder for ready-to-hand and organized accessories
- Comes with drain appliance to discharge absorbed fluids
- Blower function, e.g. to remove leaves easily
- For easy and thorough cleaning of fabrics, areas, and hard floors (e.g. stone, tiles, linoleum)
- For deep-cleaning of upholstery and rugs
- Accessories: Crevice nozzle, parquet brush, big suction brush, e.g. to clean carpet floors, tiles; small suction brush, e.g. to clean upholstery
- Tank volume (wet cleaning operation) 20 litres
- Cleaning container volume: 4 litres
- 220–240 V, 50/60 Hz, 1200 W
- W x H x D approx. 370 x 500 x 430 mm



Large tank volume  
(approx. 20 litres)



Shampoo tank  
(approx. 4 litres)



Shampoo cleaner



Wet/dry vacuum cleaner



Upholstery cleaner



Accessories-holder





112

### Textile cleaner MC 3240

- Ideal for the easy removal of lint/pilling
- Handy size
- Metal lint grid
- Transparent lint container
- On/off switch
- Battery operation: 2x 1.5 V (UM3) (batteries not included)
- W x H x D approx. 36 x 76 x 76 mm

### Textile cleaner MC 3241

- Ideal for the easy removal of lint/pilling
- Handy size
- Metal lint grid
- Transparent lint container
- On/off switch
- Battery operation: 2x 1.5 V (UM3) (batteries not included)
- W x H x D approx. 60 x 85 x 170 mm

### Alcohol tester AT 3605

- Alcohol tester in an attractive design
- Measurement standby function
- 2 digital LCD displays
  - Display in parts per thousand and g/l from 0.0 to 1.9 ‰ (red illuminated)
  - Temperature display in °C and °F
  - Time display (12/24 h)
- Optical warning at 0,2 ‰ and 0,5 ‰
- Countdown function (measuring readiness)
- Alarm function
- Automatic switch-off, prolongs battery life
- Low weight
- Battery operation: 2x AAA (batteries not included)



2 digital LCD displays for:

- Time, temperature
- Alcohol content (red illuminated)

Art. no. 263 063  
EAN 4 006 160 630 633 PU 20



Art. no. 263 062  
EAN 4 006 160 074 314 PU 20

Art. no. 271 704  
EAN 4 006 160 717 044 PU 12





### Electronic bathroom scale PW 3368

- Electronic glass bathroom scale with easy-to-read LCD display
- Weighing units in kg, lb, st (convertible)
- Measurement range of 2.5–150 kg (subdivided into 100 g steps)
- Low-maintenance standing surface
- Non-slip feet ensuring secure base
- Automatic switch-off (prolongs battery life)
- Battery operation: 1x CR 2032 (battery not included)
- W x H x D approx. 330 x 25 x 300 mm

### Electronic bathroom scale PW 3369

- Electronic glass bathroom scale with easy-to-read LCD display
- Weighing units in kg, lb, st (convertible)
- Measurement range of 2.5–150 kg (subdivided into 100 g steps)
- Low-maintenance standing surface
- Non-slip feet ensuring secure base
- Automatic switch-off (prolongs battery life)
- Battery operation: 1x CR 2032 (battery not included)
- W x H x D approx. 320 x 25 x 320 mm



### Digital thermometer FT 3617

FT 3618

- Digital express thermometer with flexible measuring tip
- Easily readable 3-digit LED display
- Easy one-button operation
- Precise body temperature measurement
- Measurement range: 32 to 42.9 °C
- Beep at the end of the measurement
- Warning sound with a temperature above 37.8 °C
- Automatic storage of the last value
- Low-battery indication on the display
- Free of mercury
- Easy to clean
- Protection cap for the sensor
- Protected against splashing water
- Automatic shutdown of the measuring function, increases the battery life time
- Certified according to EN12470-3
- Battery operation – 1x LR 41 (1,5 V) (batteries included)
- W x H x D approx. 28 x 148 x 20 mm
- Gentle testing in the mouth
- Easily readable 3-digit LCD display
- Easy one-button operation
- Precise body temperature measurement
- Measurement range: 32 to 42.9 °C
- Beep at the end of the measurement
- Warning sound with a temperature above 37.8 °C
- Automatic storage of the last value
- Low battery indication on the display
- Free of mercury
- Easy to clean
- Protection cap for the sensor
- Protected against splashing water
- Automatic shutdown of the measuring function, increases the battery life time
- Certified according to EN12470-3
- Battery operation (batteries included)
- W x H x D approx. 60 x 40 x 40 mm

### Sterilizer BFS 3616

- Disinfection of up to 6 bottles and accessories
- Removal of all harmful household bacteria
- Up to 3 hours of "sterility" with unopened lid
- Sterilization without chemical additives
- Incl. removable bottle holder, gripper and measuring cup
- Suitable for all standard bottles
- Control lamp
- 220–240 V, 50 Hz, 500 W
- W x H x D approx. 205 x 320 x 195 mm



Incl. removable bottle holder, gripper and measuring cup

### Baby food warmer BKW 3615

- Gentle and even warming of baby food
- Suitable for standard bottles and glasses (up to 70 mm Ø)
- Stepless temperature control from approx. 40 °C to 100 °C
- Keep warm function
- Accessory cup and lid
- 220–240 V, 50 Hz, 100 W
- W x H x D approx. 140 x 150 x 140 mm



Keep warm function



Gentle and even warming of baby food



Art. no. 263 714 PU 12  
EAN 4 006 160 637 144



Art. no. 263 715 PU 12  
EAN 4 006 160 637 151



Art. no. 263 713 PU 2  
EAN 4 006 160 637 137



Art. no. 263 712 PU 3  
EAN 4 006 160 637 120







## Foot massager FM 3389

- Intense whirlpool effect
- Massage burls for stimulating the foot reflex zones
- Additional massage roller, detachable, for selective foot reflex zone massage
- Heated footrest
- 4-level switches:
  - 0 = off
  - 1 = massage
  - 2 = warm/whirl
  - 3 = warm/whirl/massage
- Can be used with and without water
- Splash guard, detachable
- Water level mark
- Spout
- Large rubber feet for slip-proof stand
- 230 V, 50 Hz, 90 W
- W x H x D approx. 300 x 120 x 380 mm

## Infra-red massaging rod MSI 2571

- 3 functions:
  - massage only
  - infra-red only
  - massage and infra-red
- 4 different massage accessories:
  - 2 point concentrators
  - surface massager
  - face massager
- Extremely quiet motor
- 230 V, 50 Hz, 13 W
- W x H x D approx. 240 x 70 x 75 mm

115



4 different massage accessories

Art. no. 263 186  
EAN 4 006 160 631 869

PU 3



Art. no. 271 460  
EAN 4 006 160 714 609

PU 6





**2in1**



116

## Nail care system NPS 3657

- Nail care system for natural-looking, shiny nails
- Filing, smoothing and polishing – just three steps to perfectly manicured nails
- Easy-to-use on toes and fingernails
- Ergonomic housing with on/off switch
- 2 speed levels
- Accessories: 5 attachments (2x polish, 2x smooth, 1x file), cap
- Battery operation: 2 x 1.5 V AA (not included)
- W x H x D approx. 38 x 33 x 135 mm



5-piece set NPS 3657  
Art. no. 893 6570  
EAN: 4 006 160 365 702



Promotional  
packaging




5 attachments (2x polish, 2x smooth, 1x file)

## Facial sauna GS 3656

- Facial sauna for cosmetic face care and inhalation
- Cosmetic face care with facial sauna attachment – pores are opened for easier cleaning, supplies the skin with rich hydration and stimulates blood circulation
- Incl. exchangeable inhaler for inhaling through mouth and nose
- Relaxation for mind and soul with the aroma attachment – healthy inhalation, e.g. with specific application of essential oils
- Indicator light
- 3-position switch (0-1-2) for correct steam dosage
- Accessories: inhaler, aroma cap and measuring cup for easy filling
- 220–240 V, 50 Hz, 130 W
- W x H x D approx. 215 x 250 x 200 mm



Inhaler for mouth  
and nose



Aroma attachment



Measuring cup

Art. no. 263 791  
EAN 4 006 160 637 915 PU 6  
Art. no. 263 793  
EAN 4 006 160 637 939 PU 6



Art. no. 263 790  
EAN 4 006 160 637 908 PU 6





**3in1**

## Facial cleaner and massager GM 3669

- 3 in 1 – cleaning, massage, and care
- Brush head for thorough deep cleaning – prevents tired complexion and skin impurities
- Attachment for facial massage – eliminates tension, reduces wrinkles, and improves blood circulation
- Attachment for care products – for application of day/night cremes or cleansing milk
- 2 speed levels
- Small and handy, ideal also for traveling
- Ergonomically shaped handle
- No injuries in case of direct skin contact
- Battery operation: 2 x 1.5 V AA (not included)
- W x H x D approx. 60 x 185 x 55 mm

## Lady shaver LS 3658

- Accumulator-operated
- Ergonomic housing with on/off switch
- Easy handling
- Thorough and gentle shave of legs or even more sensible body parts such as, e.g. the armpits or the bikini line
- High-grade steel shaving head with a fine shaving foil for a perfect shave
- Splash-proof (IPX4)
- Incl. 2 long-hair trimmers and removable long-hair attachment
- Charging station with rubberized feet for stability
- LED charging indicator
- Removable shaving head for an easy cleaning, cleanable under running water
- Accessories: charging station/stand, long-hair trimmer, cleaning brush, power supply charger
- Accumulator-operated: 1x 1.2 V / 600 mAh
- W x H x D approx. 56 x 43 x 133 mm



Attachments for cleaning, massage and care

Art. no. 271 725  
EAN 4 006 160 717 259 PU 6



Art. no. 263 798  
EAN 4 006 160 637 984 PU 6  
Art. no. 263 799  
EAN 4 006 160 637 991 PU 6




**2in1**

118

### Nose and ear hair remover NE 3595

- Conveniently and simply removes troublesome hairs in the nose and ears
- Includes light for improved personal grooming
- Removable fine-steel shearing head for cleaning
- On/off switch
- Incl. covering cap for the shearing head
- Battery operation: 1x 1.5 V (AA) (batteries not included)
- WxHxD approx. 30 x 130 x 35 mm



Includes light for improved personal grooming



Promotional Packaging

### Hair and beard trimmer HSM 3430

- Stainless steel precision shaving head for uniform haircut
- Stainless steel blade
- Stepless cutting length adjustment for efficient use of the comb attachments
- 4 comb attachments: 3, 6, 9, 12 mm
- Rubberized inlay for non-slip handling
- Accessories:
  - 4 comb attachments
  - Cleaning brush
  - Shearing head protection
  - Hanging loop
- 230–240 V, 50 Hz, 9 W
- WxHxD approx. 65 x 55 x 200 mm



### Hair trimmer set HSM 3441 NE

- Hair and beard trimmer:**
- Stainless steel precision shaving head for uniform haircut
  - Stainless steel blade
  - Stepless cutting length adjustment for efficient use of the comb attachments
  - 4 comb attachments: 3, 6, 9, 12 mm
  - Soft touch inlay for non-slip handling
  - Accessories: 4 comb attachments, cleaning brush, shearing head protection, comb, hanging loop
  - 230–240 V, 50 Hz, 9 W
  - WxHxD approx. 65 x 55 x 200 mm

**Nose and ear hair remover:**

- Gently and comfortably removes unsightly nose and ear hair
- Stainless steel shaving head, can be detached for cleaning
- Incl. cap for shaving head
- Battery operation: 1x 1.5 V (AA) (batteries not included)
- WxHxD approx. 30 x 130 x 30 mm

Art. no. 263 687  
EAN 4 006 160 636 871

PU 12



Art. no. 263 559  
EAN 4 006 160 635 591

PU 12



Art. no. 263 571  
EAN 4 006 160 635 713

PU 10







Battery

## Hair and beard trimmer HSM/R 3313

- Battery mode
- Stainless steel precision shaving head for uniform haircut
- Adjustable cutting lengths – 3 mm (without comb attachment); 5, 9, 13, 16 mm (with comb attachment) – for professional working
- Removable comb attachment
- Mechanically folding shaving head for easy cleaning
- Easy to handle due to ergonomically shaped grip
- Soft touch handle inlay
- LED charge display
- Charging station/stand including rubberized feet for stability
- Includes six accessories: charging station/stand, mains charger, comb, cleaning brush, scissors, comb attachment
- Mains charger: 100–240 V, 50/60 Hz  
Battery (NiMH): 800 mAh
- W x H x D approx. 50 x 190 x 50 mm



2in1

Battery

## Men's shaver incl. nose/ ear hair remover HR 3236

- **Men's shaver:**
- 2 level shaving system
- Hair cutter
- Removable double shaving head for the cleaning of the blades
- Includes spare shaving foil, cleaning brush, oil, storage bag

### Nose/ear hair remover:

- Stainless steel blade
- Blade can be removed for cleaning under running water
- Rotating shearing

### General:

- Battery/AC adapter
- On/off switch
- Skid-proof handle area
- Includes textile bag


- 100–240 V, 50/60 Hz, 3 W
- W x H x D approx. 56 x 150 x 40 mm



Ion technology function

## Hair straightener HC 3660

- Ideal for fashionable hairstyles
- Ceramic plates, long life and scratchproof, for uniform, gentle heat distribution
- Additional tourmaline coating provides ionising function – easier styling thanks to anti-static effect, the hair becomes sleek and silky
- Straightens the hair without problems due to the prolonged constant temperature
- Short heating period
- LED indicator light
- Safety interlock
- Handy design
- On/off switch
- Heat resistant power cord
- Cable attached via 360° turnable joint
- Hanging loop
- 220–240 V, 50/60 Hz, 28–33 W
- W x H x D approx. 310 x 30 x 34 mm



LED indicator light


**4in1**

120

**Multicurler 4 in 1**  
MC 3020


- 2 in 1 – hair smoother with interchangeable plates for wavy or smooth hair
- 2 in 1 – curling tongs and curling iron
- Ideal for fashionable hairstyles
- Curling tongs chrome-plated
- Removable brush attachment
- Turn-lock fastener for attachments
- On/off switch, indicator light
- Ergonomic design handle
- Cable attached via 360° turnable joint
- Overheating protection
- 230 V, 50 Hz, 20 W
- W x H x D approx. 315 x 76 x 41 mm

**Hair crimper**  
HC 3392

- Hair crimper chromed
- Trouble-free styling due to the constant, long-lasting temperature
- Rapid heating
- Indicator light
- Soft touch housing
- Cable attached via 360° turnable joint
- On/off switch
- Incl. setting-down aid
- 230 V, 50 Hz, 25 W
- W x H x D approx. 280 x 35 x 70 mm

**Hot air styler**  
HAS 2712

- 2 power level
- Roll key for accessories
- Ergonomically formed
- Cable with swivel cord 360°
- Safety cut-out
- 220–240 V, 50 Hz, 300 W
- W x H x D approx. 320 x 50 x 50 mm



Art. no. 271 544  
EAN 4 006 160 715 446 PU 12



Art. no. 263 183  
EAN 4 006 160 631 838 PU 12



Art. no. 271 129  
EAN 4 006 160 711 295 PU 12





## Hot air styler HAS 3019

- Powerful 500 watt motor
- 2 power level + cold level Cool Shot
- Incl. 3 accessories: volume styler, round brush, regular brush
- Roll-out button for attachments
- Switchable voltage
- Overheating protection
- 115/220–240 V, 50/60 Hz, 500 W
- W x H x D approx. 305 x 45 x 45 mm

## Hot air curling brush HAS 3659

- Hot air styler for even and gentle heat distribution
- 3 exchangeable brush attachments with smooth bristles for hair gentle styling:
  - 1 volume styler
  - 2 round brushes individual for all hair length and requirements (15 mm Ø and 25 mm Ø)
- 2 temperature-/power settings
- Cold setting for style fix and hairstyle finish
- Ergonomic design handle
- Cable attached via 360° turnable joint
- Overheating protection
- Hanging loop
- 230 V, 50/60 Hz, 600 W
- W x H x D approx. 365 x 50 x 50 mm

121



Incl. volume styler, round brush, regular brush



Volume styler



1 round brush  
(15 mm Ø)



1 round brush  
(25 mm Ø)

Art. no. 271 548  
EAN 4 006 160 715 484

PU 12



Art. no. 263 800  
EAN 4 006 160 638 004

PU 6







122

### Hair dryer HT 3393

- Compact travelling hair dryer
- 2 temperature/power settings
- Removable shaped nozzle, rotatable through 360°
- Rubber profile on the casing avoid slipping
- Overheating protection
- Hanging loop
- 230 V, 50 Hz, 1200 W
- WxHxD approx. 111 x 210 x 75 mm

### Hair dryer HT 3428

- Compact travelling hair dryer
- 2 temperature/power settings
- Soft touch housing – rubberized surface to prevent slipping when putting down
- Includes see-through bag for practical storage and when travelling
- Hanging loop
- 230 V, 50 Hz, 1200 W
- WxHxD approx. 150 x 210 x 75 mm

### Hair dryer HTD 3429

- Compact travelling hair dryer
- Folding handle
- 2 temperature/power settings
- Removable shaped nozzle, rotatable through 360°
- Soft touch housing – rubberized surface to prevent slipping when putting down
- Includes volume diffuser and see-through bag for practical storage and when travelling
- Switchable voltage: 110/230 V
- Hanging loop
- 110/230 V, 50/60 Hz, 1100–1200 W
- WxHxD approx. 170 x 235 x 75 mm



Art. no. 263 184  
EAN 4 006 160 631 845

PU 12



Art. no. 263 557  
EAN 4 006 160 635 577  
Art. no. 264 557  
EAN 4 006 160 645 576

PU 12

PU 12



Art. no. 263 558  
EAN 4 006 160 635 584  
Art. no. 264 558  
EAN 4 006 160 645 583

PU 12

PU 12







**Professional hairstyler**  
HTD 3055 Profi

- Professional hairstyler with 2000 watt max.
- 3 temperature/power settings
- 2 speed level
- Cool Shot
- Professional volume diffuser and shaping nozzle
- Air intake filter (removable)
- Rubberized housing
- Avoid slipping
- Soft-touch grip
- Overheating protection
- Hanging loop
- 220–240 V, 50/60 Hz, 1800–2000 W
- W x H x D approx. 270 x 270 x 90 mm



**Hair dryer**  
HTD 2939

- Professional hairstyler with 2000 watt
- 2 temperature/power settings
- Cool Shot
- Professional finger diffuser and styling nozzle
- Air intake filter, removable
- Safety thermal cut-out
- Hanging loop
- 230 V, 50 Hz, 2000 W
- W x H x D approx. 260 x 240 x 90 mm



Ion technology function

### Hair dryer HT 3652

- Professional hair dryer with powerful 2100 watt
- Ion technology function – improved possibilities of hairstyling thanks to antistatic effect, the hair is not dried out and becomes smooth and shiny
- 3 temperature/power settings
- 2 speed settings
- Cool Shot
- Shaped nozzle, 360° swiveling (removable)
- LED pilot lamp
- Overheating protection
- Hanging loop
- 230 V, 50 Hz, 2100 W
- W x H x D approx. 220 x 255 x 90 mm



Ion technology function

### Hair dryer HT 3661

- Powerful 2200 watt max.
- Ionizing function – improved possibilities of hairstyling thanks to antistatic effect, the hair is not dried out and becomes smooth and shiny
- 3 temperature/power settings
- 2 speed settings
- Cool shot
- Removable shaped nozzle, rotatable through 360°
- Air inlet filter (removable)
- Overheating protection
- Hanging loop
- 220–240 V, 50/60 Hz, 1800–2200 W
- W x H x D approx. 230 x 270 x 85 mm



Art. no. 263 777  
EAN 4 006 160 637 779

PU 6



Art. no. 263 796  
EAN 4 006 160 637 960

PU 6





Ø 23 cm

### Table fan VL 3601

- Oscillating (can be switched off)
- Adjustable angle of inclination
- Metal protection grid
- Safe base
- Ø approx. 23 cm
- 2 speed level
- 3-level switches (0-1-2)
- Practical carrying handle
- 220–240 V, 50/60 Hz, 30 W
- W x H x D approx. 275 x 375 x 220 mm




Ø 30 cm


### Table fan VL 3602

- Oscillating (can be switched off)
- Adjustable angle of inclination
- Metal protection grid
- Safe base
- Ø approx. 30 cm
- 3 speed level
- 4-level switches (0-1-2-3)
- Practical carrying handle
- 220–240 V, 50/60 Hz, 40 W
- W x H x D approx. 340 x 480 x 245 mm

125



Oscillating



Oscillating

Art. no. 263 698  
EAN 4 006 160 636 987

PU 4



Art. no. 263 699  
EAN 4 006 160 636 994

PU 4





Ø 40 cm



## Standing fan VL 3603 S

- Oscillating (can be switched off)
- Height-adjustable
- Adjustable angle of inclination
- Metal protection grid
- Safe base
- Ø approx. 40 cm
- 3 speed level
- 4-level switches (0-1-2-3)
- Practical carrying handle
- 220–240 V, 50/60 Hz, 45 W
- WxHxD approx. 430 x 1250 x 640 mm




## Tower fan T-VL 3546

- 75° oscillating (can be switched off)
- Space-saving
- Quiet running
- Protection grid
- Safe base
- 3 speed level
- 4-level switches (0-1-2-3)
- 120 minute timer
- Practical carrying handle
- Height: 76 cm
- 220–240 V, 50 Hz, 50 W
- WxHxD approx. 220 x 755 x 220 mm







**A**

## Air conditioning unit CL 3671

- Cooling capacity: 7000 BTU (2.05 kW)
- Coolant: R 410 A
- Air recirculation: up to 380 m³/h
- 3 functions: cooling, dehumidifying, blowing
- Sound level: 65 dB(A)
- Energy efficiency class A
- 2 filters (removable)
- 24-hour timer
- Fan with 2 speed levels
- Adjustable air flaps
- LED display (temperature and timer)
- 4 easy-running rollers for easy transport
- Infrared remote control (incl. batteries)
- Incl. 1.5 m exhaust hose and window kit

- 220-240 V, 50 Hz, 780 W
- W x H x D approx. 330 x 680 x 280 mm



127




Incl. infrared  
remote control



Incl. exhaust hose



LED display



## Air conditioning unit CL 3672

- Cooling capacity: 8000 BTU (2,3 kW)
  - Coolant: R 410 A
  - Air recirculation: up to 380 m<sup>3</sup>/h
  - 3 functions: cooling, dehumidifying, blowing
  - Sound level: 65w dB(A)
  - Energy efficiency class A
  - 2 filters (removable)
  - 24-hour timer
  - Fan with 2 speed levels
  - Adjustable air flaps
  - LED display (temperature and timer)
  - 4 easy-running rollers for easy transport
  - Infrared remote control (incl. batteries)
  - Incl. 1.5 m exhaust hose and window kit
- 220–240 V, 50 Hz, 880 W
  - WxHxD approx. 330 x 680 x 280 mm



Incl. infrared  
remote control



Incl. exhaust hose



LED display



Art. no. 263 808  
EAN 4 006 160 638 080

PU 1





**Convactor heater**  
KH 3077

- Mobile heat – also suitable for heating summerhouses, garages and conservatories
- 3 heat settings (750/1250/2000 W)
- Infinitely adjustable thermostat
- Automatic temperature controller
- Indicator light
- Convenient built-in carry handles for easy transport
- Low-noise operation
- Overheating protection
- Wall installation possible (installation material supplied)
- 220–240 V, 50Hz, 1900–2200 W
- W x H x D (without feet) 570 x 110 x 375 mm
- W x H x D (with feet) 570 x 195 x 420 mm



**Convactor heater**  
KH 3433

- Mobile heat – also suitable for heating summerhouses, garages and conservatories
- 3 heat settings (750/1250/2000 W)
- Infinitely adjustable thermostat
- Automatic temperature controller
- Anti-frost function
- Includes blower function
- 3 control lamps
- Convenient built-in carry handles for easy transport
- Low-noise operation
- Overheating protection
- Wall installation possible (installation material supplied)
- 230 V, 50Hz, 2000 W
- W x H x D (without feet) 670 x 440 x 110 mm
- W x H x D (with feet) 670 x 480 x 110 mm



A+



A++

### Cool box KB 3537


- Suitable for cooling and warming
- Perfect for camping, travel and shopping
- Capacity (gross capacity): ca. 25 litre max.
- Even cooling by integrated fan
- Powerful, maintenance-free Peltier cooling/heating system
- Energy saving function
- Double walled plastic casing with high quality isolation
- Special sealing rubber in the lid reduces condensation
- Control lights for cooling and warming function
- Foldable handle
- Removable lid
- Accessory: 12 V connecting cable (detachable), 230 V connecting cable (detachable)

- Power supply:
  - Mains adapter connection: DC 12 V, 40/48 W
  - Mains adapter connection: AC 220–240 V, ~ 50/60 Hz, 52/58 W, 11 W (ECO mode)

- W x H x D approx.  
405 x 435 x 300 mm
- Energy class: A+



For all standard  
0.75 / 1.0 / 1.5-litre bottles



### Cool box KB 3538


- Suitable for cooling and warming
- Perfect for camping, travel and shopping
- Capacity (gross capacity): ca. 30 litre max.
- Even cooling by integrated fan
- Powerful, maintenance-free Peltier cooling/heating system
- Energie saving function
- Double walled plastic casing with high quality isolation
- Special sealing rubber in the lid reduces condensation
- Control lights for cooling and warming function
- Foldable handle
- Removable lid
- Cable storage compartment
- Accessory: 12 V connecting cable, 230 V connecting cable

- Power supply:
  - Mains adapter connection: DC 12 V, 40/48 W
  - Mains adapter connection: AC 220–240 V, ~ 50/60 Hz, 52/58 W, 8 W (ECO mode)

- W x H x D approx.  
405 x 435 x 300 mm
- Energy class: A++



For all standard  
0.75 / 1.0 / 1.5-litre bottles







**Fan heater**  
HL 3378

- 2 heat settings (1000/2000 watt)
- Cold (ventilator)
- Infinitely adjustable thermostat
- Indicator light
- Safe base
- Sturdy carrying handle
- Overheating protection
- 220–240 V, 50 Hz, 1800–2000 W
- W x H x D approx. 230 x 138 x 262 mm



**Fan heater**  
HL 3379

- 2 heat settings (1000/2000 watt max.)
- Cold (ventilator)
- Infinitely adjustable thermostat
- Indicator light
- 2 different ways of setting up
- Safe base
- Sturdy carrying handle
- Overheating protection
- 220–240 V, 50 Hz, 1800–2000 W
- W x H x D approx. 248 x 120 x 250 mm




2 different ways of setting up



132

### Fan heater HL 3377

- 2 heat settings (1000/2000 watt)
- Oscillating (can be switched off)
- Cold (ventilator)
- Infinitely adjustable thermostat
- Safety contact switch for fire protection
- Safe base
- Sturdy carrying handle
- Overheating protection
- 220–240 V, 50 Hz, 2000 W
- W x H x D approx. 235 x 300 x 205 mm



### Ceramic fan heater HL 3631

- PTC ceramic heater element for healthy, safe, quiet and efficient heating
- Low dust accumulation
- Quick and effective heating
- Long service life
- Robust and durable
- 7 level switches
- 2 heat settings (1000/1500 W)
- Oscillating (can be deactivated)
- Cold setting (fan blower)
- Steplessly adjustable thermostat
- Safety switch for fire protection
- Stable stand
- Robust carry handle (foldable)
- Overheat protection
- 220–240 V, 50 Hz, 1500 W
- W x H x D approx. 191 x 267 x 141 mm



Oscillating

Art. no. 271 670  
EAN 4 006 160 716 702 PU 4



Art. no. 263 740  
EAN 4 006 160 637 403 PU 4





**Ceramic fan heater**  
HL 3651

- PTC ceramic heater element for healthy, safe, quiet and efficient heating
- Low dust accumulation
- Quick and effective heating
- Robust and insensitive by durable ceramic heater
- 4 level switches
- 2 heat settings (1000/2000 W)
- Adjustable angle of inclination (90°)
- Cold setting (fan blower)
- Steplessly adjustable thermostat
- High stability due to sturdy metal frame
- Robust carry handle
- Overheating protection
- 220–240 V, 50 Hz, 2000 W
- W x H x D approx. 210 x 217 x 160 mm



**Insect killer**  
IV 3340

- Environmentally-friendly killing of mosquitoes/gnats/ wasps/insects without chemicals or scents
- The insects are attracted by the UV light and killed by means of an electric wire mesh.
- Electric wire mesh voltage: 1500–2000 V on the mesh itself
- Covers a range of approx. 20 m<sup>2</sup>
- Specifically designed for use in closed rooms
- All-round use
- Same level of efficiency in daylight and artificial light
- Includes suspension device
- 220–240 V, 50/60 Hz, 4 W
- W x H x D approx. 160 x 230 x 100 mm



## Filter sets

**BS 1248 / BS 1294**

Art. no. 282 906

EAN 4 006 160 829 068 PU 1

**BS 1249**

Art. no. 282 907

EAN 4 006 160 829 075 PU 1

**BS 1253**

Art. no. 282 914

EAN 4 006 160 829 143 PU 1

**BS 1256**

Art. no. 271 596

EAN 4 006 160 715 965 PU 1

**BS 1273 / BS 1281**

Art. no. 282 918

EAN 4 006 160 829 181 PU 1

**BS 1276**

Art. no. 812 499

EAN 4 006 160 124 996 PU 1

**BS 1280**

Art. no. 8 912 800

EAN 4 600 160 128 000 PU 1

**BS 1286**

Art. no. 8 912 860

EAN 4 600 160 128 604 PU 1

**BS 1293**

Art. no. 8 912 937

EAN 4 600 160 129 373 PU 1

## Dust bags

**SSB 101**

Suitable for:

BS 1267 / BS 1268 / BS 1271 / BS 1274 /  
BS 1279 / BS 1288 / BS 1292 / BS 1296 /  
BS 1301 / BS 1303

Art. no. 282 047

EAN 4 006 160 820 478 PU 1

**SSB 98**

Suitable for:

BS 1264 / BS 1272 / BS 1284 / BS 1287 /  
BS 1295 / BS 1300

Art. no. 282 193

EAN 4 006 160 821 932 PU 1

## Replacement bottle / jars

**Replacement bottle for  
Smoothie maker EF SM 3593**

Art. no. 264 559

EAN 4006 160 645 590 PU 6

**Replacement jars for  
Yoghurt-Maker JM 3344**

Art. no. 251 125

EAN 4006 160 511 253 PU 4

Replacement  
cartridges**Replacement cartridges DBS 3461**

Art. no. 8 934 610

EAN 4 006 160 632 583 PU 3

**Replacement cartridges  
DBS 3611 / DBS 3634**

Art. no. 8 936 110

EAN 4 006 160 632 606 PU 3

Spare rolls  
for bag sealer**FS 3261**

Art. no.: 890 0216

EAN 4 006 160 900 217 PU 10



## TECHNICAL DATA FOR VACUUM CLEANERS Commission Delegated Regulation (EU) No. 665/2013

Clatronic						
Model	BS 1294 N	BS 1295	BS 1296	BS 1300 N	BS 1301 N	BS 1302 N
Energy efficiency class <sup>1)</sup>	A	A	A	A	A	A
Energy consumption						
Annual energy consumption <sup>2)</sup>	kWh/year	24.7	27.0	26.1	26.9	27.5
Cleaning performance class						
Carpet cleaning performance class	E	F	E	D	D	D
Hard floor cleaning performance class	B	B	B	A	B	A
Dust re-emission class	B	F	B	D	B	C
Sound power level						
	dB(A) re 1pW	79	82	82	79	76
Rated input power	W	700	800	700	700	700

Clatronic						
Model	BS 1303	BS 1304	BS 1304 P	BS 1306 N	BS 1308	BS 1308 P
Energy efficiency class <sup>1)</sup>	A	A	A	A+	A	A
Energy consumption						
Annual energy consumption <sup>2)</sup>	kWh/year	27.7	27.0	27.0	19.9	26.2
Cleaning performance class						
Carpet cleaning performance class	E	D	D	E	E	E
Hard floor cleaning performance class	A	A	A	A	A	A
Dust re-emission class	G	G	G	E	F	F
Sound power level						
	dB(A) re 1pW	88	83	83	80	79
Rated input power	W	700	700	700	600	700

<sup>1)</sup> A (highest efficiency) to G (lowest efficiency).

<sup>2)</sup> Indicative annual energy consumption (kWh per year), based on 50 cleaning tasks.  
Actual annual energy consumption will depend on how the appliance is used.

The device meets the European standards and directives in the current version at delivery:

- Low Voltage Directive (LVD) 2006/95/EC
- Electromagnetic Compatibility (EMC) Legislation Directive 2004/108/EC
- Ecodesign requirements for vacuum cleaners COMMISSION REGULATION (EU) No 666/2013

**PRODUCT FICHE FOR AIR CONDITIONERS** Commission Delegated Regulation (EU) No. 626/2011

Trademark	Clatronic		
Model	CL 3671		
Inside sound power level	$L_{WA}$	65	dB(A)
Refrigerant		R410A	
Global warming potential	GWP	2088	kgCO <sub>2</sub> eq.
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1 kg of CO <sub>2</sub> , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Efficiency on the basis of energy efficiency ratio	EER <sub>rated</sub>	2.60	
Energy efficiency class	A		
Energy consumption 0.8 kWh per 60 minutes, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.	Q <sub>SD</sub>	0.8	kWh/60 min
Cooling capacity	P <sub>rated</sub>	2.1	kW

Trademark	Clatronic		
Model	CL 3672		
Inside sound power level	$L_{WA}$	65	dB(A)
Refrigerant		R410A	
Global warming potential	GWP	2088	kgCO <sub>2</sub> eq.
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1 kg of CO <sub>2</sub> , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Efficiency on the basis of energy efficiency ratio	EER <sub>rated</sub>	2.60	
Energy efficiency class	A		
Energy consumption 0.9 kWh per 60 minutes, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.	Q <sub>SD</sub>	0.9	kWh/60 min
Cooling capacity	P <sub>rated</sub>	2.3	kW

## TECHNICAL DATA FOR HOUSEHOLD REFRIGERATORS Commission Delegated Regulation (EU) No. 1060/2010

Clatronic			
Model	KB 3537	KB 3538	
Category <sup>1)</sup>	10	10	
Energy efficiency class <sup>2)</sup> A+++ (highest efficiency) to G (lowest efficiency)	A+	A++	
Consumption data			
Annual energy consumption <sup>3)</sup>	kWh	97	70
Net capacity cooling total	l	25	30
Net capacity freezing	l	0	0
Star rating <sup>4)</sup>	–	–	–
Frost-free	–	–	–
Temperature rise time	h	–	–
Freezing capacity	kg/ 24 h	–	–
Climate class <sup>5)</sup>	SN/N	SN/N	
Noise level	dB(A) re 1pW	35	35
Design	mobil	mobil	

<sup>1)</sup> Category: 1 = Refrigerator with one or more fresh-food storage compartments, 2 = Refrigerator-cellar, Cellar and Wine storage appliances, 3 = Refrigerator-chiller and Refrigerator with a 0-star compartment, 4 = Refrigerator with a one-star compartment, 5 = Refrigerator with a two-star compartment, 6 = Refrigerator with a three-star compartment, 7 = Refrigerator-freezer, 8 = Upright freezer, 9 = Chest freezer, 10 = Multi-use and other refrigerating appliances.

<sup>2)</sup> A+++ (highest efficiency) to G (lowest efficiency).

<sup>3)</sup> Annual energy consumption „XYZ“ kWh per year based on standard test results for 24 h. Actual energy consumption will depend on how the appliance is used and where is located.

<sup>4)</sup> \* = compartment: a frozen-food storage compartment in which the temperature is not warmer than -6°C.

\*\*\* = compartment: a frozen-food storage compartment in which the temperature is not warmer than -18°C.

(\*)\*\*\* = food freezer compartment in which the temperature is not warmer than -18°C and a minimum freezing capacity in 24 h.

<sup>5)</sup> Climate class SN: ambient temperature of +10°C up to +32°C. Climate class N: ambient temperature of +16°C up to +32°C. Climate class ST: ambient temperature of +16°C up to +38°C. Climate class T: ambient temperature of +16°C up to +43°C.









Headquarter



Logistic Center (approx. 60.000 m<sup>2</sup>)



Showroom



Quality assurance



CTC Clatronic Int. GmbH  
 Industriering Ost 40  
 D-47906 Kempen  
 Phone +49 (0) 21 52/20 06-0  
 Fax +49 (0) 21 52/20 06-19 99  
[info@clatronic.de](mailto:info@clatronic.de)  
[www.clatronic-germany.de](http://www.clatronic-germany.de)

CTC Clatronic Sp. zo.o.  
 Ul. Brzeska 1  
 45-960 Opole  
 Phone +48 (0) 77/44 77 900  
 Fax +48 (0) 77/44 77 943  
[clatronic@clatronic.pl](mailto:clatronic@clatronic.pl)  
[www.clatronic.pl](http://www.clatronic.pl)

CLATRONIC Far East Ltd.  
 Unit 1045, 47, 49, 49A, 10/F, KITEC  
 1 Trademart Drive,  
 Kowloon Bay  
 Kowloon, Hong Kong  
[info@clatronic.com.hk](mailto:info@clatronic.com.hk)  
[www.clatronic.com.hk](http://www.clatronic.com.hk)